

DEALER BOOK

—
2020



SUMMARY

SERVICE / SERVICE

> Carbon core / <i>Carbon core</i>	p.8-13
> Geometry / <i>Geometrie</i>	p.168-172
> Warranty / <i>Garantie</i>	p.174-180
> Contact / <i>Contact</i>	p.180

PEDALS / PÉDALES

> Road Pedals / <i>Pédales Route</i>	p.14
+ Race	p.16-23
+ Granfondo	p.24-27
+ Comfort	p.28-31
> Road Cleats & Blade / <i>Cales et Lames</i>	p.32-35
> EXAKT Pedals / <i>Pédales EXAKT</i>	p.36-41
> TREKKING Pedals / <i>Pédales TREKKING</i>	p.42-53
> MTB Pedals / <i>Pédales MTB</i>	p.54
+ Trail Enduro	p.56-61
+ XC	p.62-67
> MTB Cleats / <i>Cales MTB</i>	p.68-69

APPAREL / TEXTILE

> FW 2019 / <i>AH 2019</i>	p.70
+ Classification	p.72-73
+ Top Insulation	p.74-75
+ Top Protection	p.76-77
+ Down	p.78-81
> Accessories / <i>Accessoires</i>	p.82-83
> Size Chart / <i>Guide des Tailles</i>	p.84-85

ROAD BIKES / VÉLOS ROUTES

> Road Bikes / <i>Vélos Route</i>	p.86
+ Aero	p.88-107
+ Altitude	p.108-125
+ Endurance	p.126-137

GRAVEL BIKES / VÉLOS GRAVEL

> Gravel Bikes / <i>Vélos Gravel</i>	p.138-149
--------------------------------------	-----------

TRACK BIKES / VÉLOS PISTE

> Track Bikes / <i>Vélos Piste</i>	p.150-157
------------------------------------	-----------

COMPONENTS / COMPOSANTS

> Crankset / <i>Pédalier</i>	p.158-159
> Bottom Bracket / <i>Boîtier de Pédalier</i>	p.160
> Seatpost / <i>Tige de Selle</i>	p.161
> Stem / <i>Potence</i>	p.162-163
> Handlebar / <i>Cintre</i>	p.164-166
> Other / <i>Autres</i>	p.167

CONTRIBUTING PHOTOGRAPHERS | PHOTOGRAPHES COLLABORATEURS

Jean-philippe Ehrmann Studio 14 - NVCR Studio
Mathieu Echeverri - James Startt / Peloton Magazine - Damien Rigondeaud
Pressesports - Unsplash.com


DNA



CARBON CORE







INVENTOR OF THE FIRST CARBON FRAME

Thirty years ago, LOOK began an extraordinary adventure of manufacturing carbon frames and forks.

Thirty years ago, a time when steel frames tamed the highest peaks, LOOK took up the incredible challenge of mastering a new material, carbon.

The carbon we are discussing today is nothing other than a high-performance fiber with incredible mechanical properties that require great expertise in its transformation process. Used in fabric form and in layers pre-saturated with resin, it is possible for us to manufacture lightweight and complex parts of unrivaled performance to date in the world of cycling. In August 88, a team of 10 people accepted the challenge of shaping this new material.

First observations did not draw our attention to the piece's quality, but to its crude shape. The almost mystical transition of this soft material into a solid element provided a sense of wonder among the development team. Mastering the manufacturing process was only made possible through the factory's diligence and energy. It is with the sheer force of determination, concentration and precision, that the first CARBON frames and forks emerged.

What seemed to be a fantasy thirty years ago, has turned into true acquired know-how that has become the pride of an entire company. Day after day, month after month, our passion grew more and more, finally leading to the creation of our company culture, our DNA.

Today, CAD software has obviously changed our approach to product design, but our indispensable expertise, forged over the years, remains during the fabrication process.

Despite technical progress, and the arrival of more powerful machines, human handwork will always remain a prominent factor in the development and manufacturing of carbon products.

Il y a trente ans, LOOK se lançait dans une aventure hors du commun, la fabrication de cadre et de fourche en CARBONE.

Il y a trente ans, à une époque où les cadres acier domptaient les plus hauts sommets, LOOK a pris le pari incroyable de maîtriser un nouveau matériau, le CARBONE.

Le CARBONE dont nous parlons aujourd'hui n'est autre qu'une fibre aux propriétés mécaniques performantes mais exigeant une très grande maîtrise de sa transformation. Utilisée sous forme de tissu et de nappes pré-imprégnées de résine, cette dernière nous permet de fabriquer des pièces aux formes complexes, légères et aux performances inégalées jusqu'à présent dans le monde du cyclisme. En Août 88, une équipe composée de 10 personnes, relevait le défi de façonner cette nouvelle matière.

Les premières observations ne portaient pas notre attention sur la qualité de la pièce mais sur sa forme brute. Le passage presque mystique de cette matière souple à un élément solide procura un sentiment d'émerveillement au sein de l'équipe de développement. La maîtrise du processus de fabrication ne fut possible que par l'implication des forces vives de la manufacture. C'est à force de détermination, de concentration et de précision, que les premiers cadres et fourches CARBONE voyaient le jour.

Ce qui semblait être une utopie il y a trente ans, s'est transformé en un savoir-faire acquit, devenant la fierté de toute une entreprise. Jour après jour, mois après mois, notre passion devenait de plus en plus grandissante, conduisant définitivement à la formation de notre culture d'entreprise, de notre ADN.

Aujourd'hui, les logiciels de CAO ont bien évidemment changé notre approche lors de la conception des produits, il reste néanmoins au moment du passage à l'acte de fabrication, notre indispensable savoir-faire forgé au cours de toutes ces années. Malgré les progrès techniques, l'arrivée de machines de plus en plus performantes, la main de l'homme aura toujours une place prépondérante dans le développement et la fabrication de produits en CARBONE.

JEAN CLAUDE CHRETIEN | MASTER CARBON & PERFORMANCE

SEG MEN TATION

ROAD PEDALS GUIDE
SEGMENTATION PÉDALES ROUTE

H

KEO BLADE

CARBON CERAMIC Ti

RETENTION LEVEL / TENSION CONTACT SURFACE LIGHTNESS / LÉGÈRETÉ TECHNOLOGY / TECHNOLOGIE

KEO BLADE

CARBON CERAMIC

RETENTION LEVEL / TENSION CONTACT SURFACE LIGHTNESS / LÉGÈRETÉ TECHNOLOGY / TECHNOLOGIE

KEO BLADE

CARBON

RETENTION LEVEL / TENSION CONTACT SURFACE LIGHTNESS / LÉGÈRETÉ TECHNOLOGY / TECHNOLOGIE

RACE

V

KEO 2 MAX

CARBON

RETENTION LEVEL / TENSION CONTACT SURFACE LIGHTNESS / LÉGÈRETÉ TECHNOLOGY / TECHNOLOGIE

KEO 2 MAX

RETENTION LEVEL / TENSION CONTACT SURFACE LIGHTNESS / LÉGÈRETÉ TECHNOLOGY / TECHNOLOGIE

GRANFONDO

D

KEO CLASSIC 3

PLUS

RETENTION LEVEL / TENSION CONTACT SURFACE LIGHTNESS / LÉGÈRETÉ TECHNOLOGY / TECHNOLOGIE

KEO CLASSIC 3

RETENTION LEVEL / TENSION CONTACT SURFACE LIGHTNESS / LÉGÈRETÉ TECHNOLOGY / TECHNOLOGIE

COMFORT



ROAD PEDALS **RACE**

CERAMIC ADVANTAGE
DURABILITY – FRICTION

AVANTAGE DE LA CERAMIQUE
PLUS RAPIDE – DURÉE DE VIE PLUS LONGUE



**POWER TO WEIGHT
ADVANTAGE**
TRÈS BON RAPPORT
POIDS / PUISSANCE

UNRIVALLED BLADE TECHNOLOGY
LIGHTER – AERODYNAMIC – SAFER

TECHNOLOGIE BLADE INÉGALÉE
PLUS LÉGER - AÉRODYNAMIQUE - PLUS SÛR



MADE BY LOOK
MADE BY LOOK

KEO BLADE
CARBON CERAMIC Ti



FEATURES / CARACTERISTIQUES

TECHNOLOGY / TECHNOLOGIE	BLADE
CLEATS / CALES	KEO CLEAT
RETENTION / TENSION	SERIAL INSTALLED IN 16 + ADDITIONAL 12 IN BOX 20 SOLD SEPARATELY
BODY / CORPS	CARBON
BLADE / LAME	CARBON
SPINDLE / AXE	TITANIUM
BEARINGS / ROULEMENTS	CERAMIC
PLATFORM AREA / SURFACE D'APPUI	700 mm²
PLATFORM WIDTH / LARGEUR D'APPUI	67 mm
Q FACTOR	53 mm
STACK HEIGHT + CLEATS / HAUTEUR D'APPUI + CALES	14,8 mm (8,5 + 6,3 mm)
WEIGHT (PEDAL) / POIDS (PÉDALE)	95 g
WEIGHT PAIR + CLEATS / POIDS PAIRE + CALES	260 g

KEO BLADE
CARBON CERAMIC



FEATURES / CARACTERISTIQUES

TECHNOLOGY / TECHNOLOGIE	BLADE
CLEATS / CALES	KEO CLEAT
RETENTION / TENSION	SERIAL INSTALLED IN 12 + ADDITIONAL 16 IN BOX 20 SOLD SEPARATELY
BODY / CORPS	CARBON
BLADE / LAME	CARBON
SPINDLE / AXE	CHROMOLY +
BEARINGS / ROULEMENTS	CERAMIC
PLATFORM AREA / SURFACE D'APPUI	700 mm²
PLATFORM WIDTH / LARGEUR D'APPUI	67 mm
Q FACTOR	53 mm
STACK HEIGHT + CLEATS / HAUTEUR D'APPUI + CALES	14,8 mm (8,5 + 6,3 mm)
WEIGHT (PEDAL) / POIDS (PÉDALE)	110 g
WEIGHT PAIR + CLEATS / POIDS PAIRE + CALES	290 g

KEO BLADE
CARBON



FEATURES / CARACTERISTIQUES

TECHNOLOGY / TECHNOLOGIE	BLADE
CLEATS / CALES	KEO CLEAT
RETENTION / TENSION	SERIAL INSTALLED IN 08 + ADDITIONAL 12 IN BOX
BODY / CORPS	CARBON
BLADE / LAME	COMPOSITE
SPINDLE / AXE	CHROMOLY +
BEARINGS / ROULEMENTS	STEEL
PLATFORM AREA / SURFACE D'APPUI	700 mm²
PLATFORM WIDTH / LARGEUR D'APPUI	67 mm
Q FACTOR	53 mm
STACK HEIGHT + CLEATS / HAUTEUR D'APPUI + CALES	14,8 mm (8,5 + 6,3 mm)
WEIGHT (PEDAL) / POIDS (PÉDALE)	115 g
WEIGHT PAIR + CLEATS / POIDS PAIRE + CALES	300 g



ROAD PEDALS **GRANFONDO**

KEO 2 MAX
CARBON



FEATURES / CARACTERISTIQUES

TECHNOLOGY / TECHNOLOGIE	SPRING
CLEATS / CALES	KEO GRIP
RETENTION / TENSION	8 to 12
BODY / CORPS	CARBON
SPINDLE / AXE	CHROMOLY +
PLATFORM MATERIAL / MATIERE SURFACE D'APPUI	STAINLESS STEEL
PLATFORM AREA / SURFACE D'APPUI	500 mm²
PLATFORM WIDTH / LARGEUR D'APPUI	60 mm
STACK HEIGHT + CLEATS / HAUTEUR D'APPUI + CALES	17,3 mm
WEIGHT (PEDAL) / POIDS (PÉDALE)	125 g
WEIGHT PAIR + CLEATS / POIDS PAIRE + CALES	312 g

KEO 2 MAX
I BLACK I WHITE



FEATURES / CARACTERISTIQUES

TECHNOLOGY / TECHNOLOGIE	SPRING
CLEATS / CALES	KEO GRIP
RETENTION / TENSION	8 to 12
BODY / CORPS	COMPOSITE
SPINDLE / AXE	CHROMOLY +
PLATFORM MATERIAL / MATIERE SURFACE D'APPUI	STAINLESS STEEL
PLATFORM AREA / SURFACE D'APPUI	500 mm²
PLATFORM WIDTH / LARGEUR D'APPUI	60 mm
STACK HEIGHT + CLEATS / HAUTEUR D'APPUI + CALES	17,3 mm
WEIGHT (PEDAL) / POIDS (PÉDALE)	130 g
WEIGHT PAIR + CLEATS / POIDS PAIRE + CALES	328 g



ROAD PEDALS **COMFORT**

KEO CLASSIC 3
PLUS



FEATURES / CARACTERISTIQUES

TECHNOLOGY / TECHNOLOGIE	SPRING
CLEATS / CALES	KEO GRIP
RETENTION / TENSION	8 to 12
BODY / CORPS	COMPOSITE
SPINDLE / AXE	CHROMOLY
PLATFORM MATERIAL / MATIERE SURFACE D'APPUI	STAINLESS STEEL
PLATFORM AREA / SURFACE D'APPUI	400 mm²
PLATFORM WIDTH / LARGEUR D'APPUI	60 mm
STACK HEIGHT + CLEATS / HAUTEUR D'APPUI + CALES	17,8 mm
WEIGHT (PEDAL) / POIDS (PÉDALE)	140 g
WEIGHT PAIR + CLEATS / POIDS PAIRE + CALES	350 g

KEO CLASSIC 3
BLACK | BLACK WHITE | BLACK RED



FEATURES / CARACTERISTIQUES

TECHNOLOGY / TECHNOLOGIE	SPRING
CLEATS / CALES	KEO GRIP
RETENTION / TENSION	8 to 12
BODY / CORPS	COMPOSITE
SPINDLE / AXE	CHROMOLY
PLATFORM MATERIAL / MATIERE SURFACE D'APPUI	COMPOSITE
PLATFORM AREA / SURFACE D'APPUI	400 mm²
PLATFORM WIDTH / LARGEUR D'APPUI	60 mm
STACK HEIGHT + CLEATS / HAUTEUR D'APPUI + CALES	17,8 mm
WEIGHT (PEDAL) / POIDS (PÉDALE)	140 g
WEIGHT PAIR + CLEATS / POIDS PAIRE + CALES	350 g

KEO CLEAT

KEO GRIP

USE / UTILISATION	ROAD
MATERIAL / MATIERE	POLYAMIDE & TPU
ANGULAR FREEDOM / LIBERTE ANGULAIRE	0°, 4,5° OR 9° (BLACK, GREY OR RED)
LATERAL ADJUSTMENT / REGLAGE LATERAL	4 mm
LONGITUDINAL ADJUSTMENT / REGLAGE LONGITUDINAL	9 mm
WEIGHT PAIR + FASTENINGS / POIDS PAIRE + VIS	68 g
ACCESSORY / ACCESSOIRE	6 SCREWS OF 5 X 9mm AND 6 WASHERS



● ● ●
SKU I 8150
(FOR GREY
COLOR)

KEO CLEAT

USE / UTILISATION	ROAD
MATERIAL / MATIERE	POLYAMIDE + & PTFE
ANGULAR FREEDOM / LIBERTE ANGULAIRE	0°, 4,5° OR 9° (BLACK, GREY OR RED)
LATERAL ADJUSTMENT / REGLAGE LATERAL	4 mm
LONGITUDINAL ADJUSTMENT / REGLAGE LONGITUDINAL	12 mm
WEIGHT PAIR + FASTENINGS / POIDS PAIRE + VIS	68 g
ACCESSORY / ACCESSOIRE	6 SCREWS OF 5 X 11mm AND 6 WASHERS



● ● ●
SKU I 8149
(FOR RED
COLOR)

DELTA CLEAT

USE / UTILISATION	ROAD
MATERIAL / MATIERE	POLYACETAL & PTFE
ANGULAR FREEDOM / LIBERTE ANGULAIRE	0°, 4,5° (BLACK OR RED)
LATERAL ADJUSTMENT / REGLAGE LATERAL	4 mm
LONGITUDINAL ADJUSTMENT / REGLAGE LONGITUDINAL	12 mm
WEIGHT PAIR + FASTENINGS / POIDS PAIRE + VIS	75 g
ACCESSORY / ACCESSOIRE	6 SCREWS OF 5 X 11mm AND 6 WASHERS



● ●
SKU I 8145
(FOR BLACK
COLOR)

KEO CLEAT

MEMORY CLIP / MÉMOIRE DE POSITION



3 THREADED HOLES TO INSTALL
THE LOOK CLEAT

3 TROUS DE FIXATIONS DE LA
CALE LOOK

OBLONG SHAPE HOLE
TO INSTALL THE MEMORY CLIP

TROU OBLONG PERMETTANT
DE VISSER LA MÉMOIRE

MEMORY CLIP / MÉMOIRE DE POSITION



The Memory Clip memorizes the exact position of your cleat, so every time you replace your cleat, it goes back in the exact same location. During cleat replacement, you first remove the cleat without removing the memory clip. Then, you re-install the new cleat on top of the memory clip.

La mémoire de position permet de conserver le réglage des cales lors de leur remplacement. Lors d'un changement de cale, il suffit de dévisser la cale sans dévisser la mémoire et de re-clipser la cale neuve sur la mémoire.

KEO CLEAT

KEO SPACER

USE / UTILISATION	COMPENSATE FLAT SOLE
	LOW CURVE R > 185
.....	
COMPATIBILITY / COMPATIBILITÉ	KEO GRIP / KEO CLEAT
.....	
THICKNESS / ÉPAISSEUR	1,5 mm

	R OUTSOLE	SPACER
CURVED ↓ FLAT	155	NO SPACER
	170	NO SPACER
	185	SPACER NEEDED
	200	SPACER NEEDED



SKU | 17445

KEO COVER

COMPATIBILITY / COMPATIBILITÉ	KEO GRIP / KEO CLEAT
USE / UTILISATION	PROTECT THE CLEAT



SKU | 6534

BLADE

BLADE CARBON KIT

USE / UTILISATION	ROAD
MATERIAL / MATIERE	CARBON
RETENTION / TENSION	12/16 OR 20




SKU | 15743
(FOR RETENTION 12)

BLADE KIT

USE / UTILISATION	ROAD
MATERIAL / MATIERE	COMPOSITE
RETENTION / TENSION	08 OR 12



SKU | 15746
(FOR RETENTION 08)



PEDALS **POWERMETER**

**CORRECT MEASUREMENT
IN THE CORRECT POSITION**
STRAIN GAUGES TECHNOLOGY
LITHIUM ION BATTERIES
ANT+ & BLUETOOTH LOW ENERGY

MESURER PRÉCISEMENT AU BON ENDROIT
MESURE PAR JAUGES DE CONTRAINTE
BATTERIES LITHIUM ION
COMPATIBLE ANT+ ET BLUETOOTH BASSE ENERGIE



**FULLY
INTEGRATED**
ÉLECTRONIQUE
ENTIÈREMENT
INTÉGRÉE

FULLY WATERPROOF
CERTIFIED IPX6 AND IPX7
ENTIÈREMENT ÉTANCHE
CERTIFIÉE NORMES IPX6 ET IPX7

**LOOK POWER
TO WEIGHT RATIO**
RATIO POIDS/TRANSFERT
DE PUISSANCE LOOK

100 RIDE HOURS PER CHARGE
RECHARGEABLE BATTERIES
BY MAGNETIC CONNECTORS

100 HEURES D'UTILISATION PAR CHARGE
BATTERIES RECHARGEABLES PAR
UN CONNECTEUR MAGNÉTIQUE



**SRM POWER
MEASUREMENT
ACCURACY**

LA PRÉCISION
D'UN CAPTEUR
DE PUISSANCE SRM

**APPLICATION FOR INTERACTIVE INSTALLATION & CONTROL
INDOOR TRAINING PLATFORM COMPATIBLE - ZWIFT**

APPLICATION DISPONIBLE POUR
UN CONTROLE INTUITIF DE L'INSTALLATION
COMPATIBLE AVEC PLATEFORME D'ENTRAÎNEMENT - ZWIFT



	SINGLE	EXTENTION	DUAL	BUNDLE
PC8 POWERCONTROL / COMPTEUR PC8	-	-	-	X
HEARTRATE BELT / CEINTURE CARDIAQUE	-	-	-	X
LEFT PEDAL INSTRUMENTED / PÉDALE GAUCHE INSTRUMENTÉE	-	X	X	X
RIGHT PEDAL INSTRUMENTED / PÉDALE DROITE INSTRUMENTÉE	X	-	X	X
PEDALS INCLUDED / NOMBRE DE PÉDALES INCLUSES	x2 (with 1 non instrumented pedal)	x1	x2	x2
PEDAL CHARGER / CHARGEUR PÉDALE	x1	x1	x1	x1
LEFT / RIGHT BALANCE / BALANCE GAUCHE / DROITE	-	-	X	X
POWER / PUISSANCE	RIGHT	LEFT	R&L	R&L
FORCE ANALYSIS / ANALYSE DE LA FORCE	RIGHT	-	R&L	R&L
PEDALING EFFICIENCY / EFFICACITÉ DE PÉDALAGE	RIGHT	-	R&L	R&L
BLUETOOTH / ANT+	X	-	X	X
CADENCE / CADENCE	X	-	X	X
BATTERY LIFE / AUTONOMIE	100H	100H	100H	100H
WARRANTY / GARANTIE	2 YEARS	2 YEARS	2 YEARS	2 YEARS

PEDALS / POWERMETER
SKU | 18915 (FOR DUAL VERSION)

EXAKT
LOOK POWERED BY SRM
DUAL | SINGLE | EXTENSION | BUNDLE



FEATURES / CARACTÉRISTIQUES

CLEATS / CALES	KEO GRIP
RETENTION / TENSION	9 to 18
WATERPROOFNESS / ÉTANCHÉITÉ	IPX 6/7 DUAL SEAL SYSTEM
BODY / CORPS	CARBON
SPINDLE / AXE	STEEL
PLATFORM MATERIAL / MATIÈRE SURFACE D'APPUI	STAINLESS STEEL
PLATFORM AREA / SURFACE D'APPUI	400 mm²
PLATFORM WIDTH / LARGEUR D'APPUI	64 mm
Q FACTOR	54,6 mm
STACK HEIGHT / HAUTEUR D'APPUI	11,9 mm
WEIGHT (PEDAL) / POIDS (PEDALE)	155 g
WEIGHT PAIR + CLEATS / POIDS PAIRE + CALES	376 g
FLOAT ANGLE / LIBERTÉ ANGULAIRE	0° / 4,5° / 9°



TREKKING PEDALS **ROAD | OFF ROAD TOUR**

SEG MEN TATION


TREKKING PEDALS GUIDE
SEGMENTATION PÉDALES TREKKING

ROAD TOUR COMMUTING

I COMPOSITE PEDALS


GEO TREKKING

VISION




GEO TREKKING

GRIP



GEO TREKKING




OFF ROAD TOUR ADVENTURE


I ALUMINIUM PEDALS

GEO TREKKING ROC

VISION



GEO TREKKING ROC



THE NEW REFERENCE
FOR MOBILITY PURPOSE

LA NOUVELLE RÉFÉRENCE
POUR LA MOBILITÉ

HYBRID PEDAL :
HALF FLAT/HALF CLIP IN

PÉDALE HYBRIDE : UNE FACE PLATE
+ UNE FACE AUTOMATIQUE



INTEGRATED LIGHT SYSTEM
SYSTÈME D'ÉCLAIRAGE INTÉGRÉ

SPD COMPATIBLE

COMPATIBLE SPD



ROADTOUR & OFFROAD TOUR
PRACTICE

DEVELOPPÉ POUR LES PRATIQUES
ROUTE ET CHEMIN

GEO TREKKING
I RANGE



FEATURES / CARACTÉRISTIQUES	
TECHNOLOGY / TECHNOLOGIE	HYBRID PEDALS = HALF FLAT + HALF CLIPLESS
CLEATS / CALES	EASY
CLEATS STANDARD / STANDARD DE CALES	SPD COMPATIBLE
RELEASE ANGLE / ANGLE DE DÉCHAUSSAGE	13°
RETENTION / TENSION	5 - 10
BODY / CORPS	COMPOSITE
TRACTION / GRIP	COMPOSITE STUDS
SPINDLE / AXE	CHROMOLY +
PLATFORM WIDTH / LARGEUR D'APPUI	84 mm
Q FACTOR	56 mm
WEIGHT (PEDAL) / POIDS (PEDALE)	217 g
WEIGHT PAIR + CLEATS / POIDS PAIRE + CALES	490 g
LIGHT INCLUDED / LUMIÈRE INCLUSE	YES (x 2)
LIGHT MODES / MODES LUMINEUX	3 (STEADY / FLASH / FLASH ECO)
BATTERY LIFE / AUTONOMIE	UP TO 30 h (FLASH ECO)
LIGHT OUTPUT / PUISSANCE LUMINEUSE	15 LUMENS
BATTERY / BATTERIE	MICRO USB RECHARGEABLE (CABLE PROVIDED)
CHARGING TIME / TEMPS DE RECHARGE	50 MIN
BEAM ANGLE / FAISCEAU LUMINEUX	180°
UNIT LIGHT WEIGHT / POIDS UNITAIRE LUMIÈRE	14 g



FEATURES / CARACTÉRISTIQUES

TECHNOLOGY / TECHNOLOGIE	HYBRID PEDALS = HALF FLAT + HALF CLIPLESS
CLEATS / CALES	EASY
CLEATS STANDARD / STANDARD DE CALES	SPD COMPATIBLE
RELEASE ANGLE / ANGLE DE DÉCHAUSSAGE	13°
RETENTION / TENSION	5 - 10
BODY / CORPS	COMPOSITE / ELASTOMER BI INJECTION
TRACTION / GRIP	ELASTOMER BI INJECTION
SPINDLE / AXE	CHROMOLY +
PLATFORM WIDTH / LARGEUR D'APPUI	86 mm
Q FACTOR	56 mm
WEIGHT (PEDAL) / POIDS (PEDALE)	228 g
WEIGHT PAIR + CLEATS / POIDS PAIRE + CALES	511 g



FEATURES / CARACTÉRISTIQUES

TECHNOLOGY / TECHNOLOGIE	HYBRID PEDALS = HALF FLAT + HALF CLIPLESS
CLEATS / CALES	EASY
CLEATS STANDARD / STANDARD DE CALES	SPD COMPATIBLE
RELEASE ANGLE / ANGLE DE DÉCHAUSSAGE	13°
RETENTION / TENSION	5 - 10
BODY / CORPS	COMPOSITE
TRACTION / GRIP	COMPOSITE STUDS
SPINDLE / AXE	CHROMOLY +
PLATFORM WIDTH / LARGEUR D'APPUI	84 mm
Q FACTOR	56 mm
WEIGHT (PEDAL) / POIDS (PEDALE)	203 g
WEIGHT PAIR + CLEATS / POIDS PAIRE + CALES	461 g

GEO TREKKING ROC

VISION



FEATURES / CARACTÉRISTIQUES

TECHNOLOGY / TECHNOLOGIE	HYBRID PEDALS = HALF FLAT + HALF CLIPLESS
CLEATS / CALES	EASY
CLEATS STANDARD / STANDARD DE CALES	SPD COMPATIBLE
RELEASE ANGLE / ANGLE DE DÉCHAUSSAGE	13°
RETENTION / TENSION	5 - 10
BODY / CORPS	ALUMINIUM
TRACTION / GRIP	8 TRACTIONS PINS
SPINDLE / AXE	CHROMOLY +
PLATFORM WIDTH / LARGEUR D'APPUI	83 mm
Q FACTOR	56 mm
WEIGHT (PEDAL) / POIDS (PEDALE)	247 g
WEIGHT PAIR + CLEATS / POIDS PAIRE + CALES	550 g
LIGHT INCLUDED / LUMIÈRE INCLUSE	YES (x 2)
LIGHT MODES / MODES LUMINEUX	3 (STEADY / FLASH / FLASH ECO)
BATTERY LIFE / AUTONOMIE	UP TO 30 H (FLASH ECO)
LIGHT OUTPUT / PUISSANCE LUMINEUSE	15 LUMENS
BATTERY / BATTERIE	MICRO USB RECHARGEABLE (CABLE PROVIDED)
CHARGING TIME / TEMPS DE RECHARGE	50 MIN
BEAM ANGLE / FAISCEAU LUMINEUX	180°
UNIT LIGHT WEIGHT / POIDS UNITAIRE LUMIÈRE	14 g

GEO TREKKING ROC



FEATURES / CARACTÉRISTIQUES

TECHNOLOGY / TECHNOLOGIE	HYBRID PEDALS = HALF FLAT + HALF CLIPLESS
CLEATS / CALES	EASY
CLEATS STANDARD / STANDARD DE CALES	SPD COMPATIBLE
RELEASE ANGLE / ANGLE DE DÉCHAUSSAGE	13°
RETENTION / TENSION	5 - 10
BODY / CORPS	ALUMINIUM
TRACTION / GRIP	8 TRACTIONS PINS
SPINDLE / AXE	CHROMOLY +
PLATFORM WIDTH / LARGEUR D'APPUI	83 mm
Q FACTOR	56 mm
WEIGHT (PEDAL) / POIDS (PEDALE)	233 g
WEIGHT PAIR + CLEATS / POIDS PAIRE + CALES	521 g

SEG MEN TATION

MTB PEDALS GUIDE
SEGMENTATION PÉDALES MTB

TRAIL ENDURO

X-TRACK EN-RAGE

PLUS Ti



X-TRACK EN-RAGE

PLUS



X-TRACK EN-RAGE



XC

X-TRACK RACE

CARBON Ti



X-TRACK RACE

CARBON



X-TRACK RACE



X-TRACK





MTB PEDALS **TRAIL ENDURO**



FEATURES / CARACTÉRISTIQUES	
TECHNOLOGY / TECHNOLOGIE	X-TRACK
CLEATS / CALES	STANDARD CLEAT INCLUDED (EASY CLEAT AVAILABLE SEPARATELY)
CLEATS STANDARD / STANDARD DE CALES	SPD COMPATIBLE
RETENTION / TENSION	6 to 14
BODY / CORPS	FORGED ALUMINIUM
SPINDLE / AXE	TITANIUM
PLATFORM AREA / SURFACE D'APPUI	664 mm ²
PLATFORM WIDTH / LARGEUR D'APPUI	67 mm
STACK HEIGHT + CLEATS / HAUTEUR D'APPUI + CALES	16,8 mm (10,7+6,1 mm)
WEIGHT (PEDAL) / POIDS (PEDALE)	200 g
WEIGHT PAIR + CLEATS / POIDS PAIRE + CALES	450 g
CLEATS WEIGHT (PAIR)	50 g
FLOAT ANGLE / LIBERTÉ ANGULAIRE	6°
RELEASE ANGLE / ANGLE DE DÉCHAUSSAGE	13°

X-TRACK EN-RAGE
PLUS
I BRONZE I BLACK



FEATURES / CARACTÉRISTIQUES

TECHNOLOGY / TECHNOLOGIE	X-TRACK
CLEATS / CALES	STANDARD CLEAT INCLUDED (EASY CLEAT AVAILABLE SEPARATELY)
CLEATS STANDARD / STANDARD DE CALES	SPD COMPATIBLE
RETENTION / TENSION	6 to 14
BODY / CORPS	FORGED ALUMINIUM
SPINDLE / AXE	CHROMOLY +
PLATFORM AREA / SURFACE D'APPUI	664 mm ²
PLATFORM WIDTH / LARGEUR D'APPUI	67 mm
STACK HEIGHT + CLEATS / HAUTEUR D'APPUI + CALES	16,8 mm (10,7+6,1 mm)
WEIGHT (PEDAL) / POIDS (PEDALE)	225 g
WEIGHT PAIR + CLEATS / POIDS PAIRE + CALES	500 g
CLEATS WEIGHT (PAIR)	50 g
FLOAT ANGLE / LIBERTÉ ANGULAIRE	6°
RELEASE ANGLE / ANGLE DE DÉCHAUSSAGE	13°

X-TRACK EN-RAGE



FEATURES / CARACTÉRISTIQUES

TECHNOLOGY / TECHNOLOGIE	X-TRACK
CLEATS / CALES	STANDARD CLEAT INCLUDED (EASY CLEAT AVAILABLE SEPARATELY)
CLEATS STANDARD / STANDARD DE CALES	SPD COMPATIBLE
RETENTION / TENSION	6 to 14
BODY / CORPS	ALUMINIUM
SPINDLE / AXE	CHROMOLY +
PLATFORM AREA / SURFACE D'APPUI	545 mm ²
PLATFORM WIDTH / LARGEUR D'APPUI	63 mm
STACK HEIGHT + CLEATS / HAUTEUR D'APPUI + CALES	16,8 mm (10,7+6,1 mm)
WEIGHT (PEDAL) / POIDS (PEDALE)	210 g
WEIGHT PAIR + CLEATS / POIDS PAIRE + CALES	470 g
CLEATS WEIGHT (PAIR)	50 g
FLOAT ANGLE / LIBERTÉ ANGULAIRE	6°
RELEASE ANGLE / ANGLE DE DÉCHAUSSAGE	13°



MTB PEDALS **XC**

X-TRACK RACE
CARBON Ti



FEATURES / CARACTÉRISTIQUES

TECHNOLOGY / TECHNOLOGIE	X-TRACK
CLEATS / CALES	STANDARD CLEAT INCLUDED (EASY CLEAT AVAILABLE SEPARATELY)
CLEATS STANDARD / STANDARD DE CALES	SPD COMPATIBLE
RETENTION / TENSION	6 to 14
BODY / CORPS	CARBON
SPINDLE / AXE	TITANIUM
PLATFORM AREA / SURFACE D'APPUI	515 mm²
PLATFORM WIDTH / LARGEUR D'APPUI	60 mm
STACK HEIGHT + CLEATS / HAUTEUR D'APPUI + CALES	16,8 mm (10,7+6,1 mm)
WEIGHT (PEDAL) / POIDS (PEDALE)	145 g
WEIGHT PAIR + CLEATS / POIDS PAIRE + CALES	340 g
CLEATS WEIGHT (PAIR)	50 g
FLOAT ANGLE / LIBERTÉ ANGULAIRE	6°
RELEASE ANGLE / ANGLE DE DÉCHAUSSAGE	13°

X-TRACK RACE
CARBON



FEATURES / CARACTÉRISTIQUES

TECHNOLOGY / TECHNOLOGIE	X-TRACK
CLEATS / CALES	STANDARD CLEAT INCLUDED (EASY CLEAT AVAILABLE SEPARATELY)
CLEATS STANDARD / STANDARD DE CALES	SPD COMPATIBLE
RETENTION / TENSION	6 to 14
BODY / CORPS	CARBON
SPINDLE / AXE	CHROMOLY +
PLATFORM AREA / SURFACE D'APPUI	515 mm²
PLATFORM WIDTH / LARGEUR D'APPUI	60 mm
STACK HEIGHT + CLEATS / HAUTEUR D'APPUI + CALES	16,8 mm (10,7+6,1 mm)
WEIGHT (PEDAL) / POIDS (PEDALE)	175 g
WEIGHT PAIR + CLEATS / POIDS PAIRE + CALES	400 g
CLEATS WEIGHT (PAIR)	50 g
FLOAT ANGLE / LIBERTÉ ANGULAIRE	6°
RELEASE ANGLE / ANGLE DE DÉCHAUSSAGE	13°

X-TRACK RACE



FEATURES / CARACTÉRISTIQUES

TECHNOLOGY / TECHNOLOGIE	X-TRACK
CLEATS / CALES	STANDARD CLEAT INCLUDED (EASY CLEAT AVAILABLE SEPARATELY)
CLEATS STANDARD / STANDARD DE CALES	SPD COMPATIBLE
RETENTION / TENSION	6 to 14
BODY / CORPS	COMPOSITE
SPINDLE / AXE	CHROMOLY +
PLATFORM AREA / SURFACE D'APPUI	515 mm²
PLATFORM WIDTH / LARGEUR D'APPUI	60 mm
STACK HEIGHT + CLEATS / HAUTEUR D'APPUI + CALES	16,8 mm (10,7+6,1 mm)
WEIGHT (PEDAL) / POIDS (PEDALE)	182 g
WEIGHT PAIR + CLEATS / POIDS PAIRE + CALES	415 g
CLEATS WEIGHT (PAIR)	50 g
FLOAT ANGLE / LIBERTÉ ANGULAIRE	6°
RELEASE ANGLE / ANGLE DE DÉCHAUSSAGE	13°

X-TRACK

I DARK GREY I RED



FEATURES / CARACTÉRISTIQUES

TECHNOLOGY / TECHNOLOGIE	X-TRACK
CLEATS / CALES	STANDARD CLEAT INCLUDED (EASY CLEAT AVAILABLE SEPARATELY)
CLEATS STANDARD / STANDARD DE CALES	SPD COMPATIBLE
RETENTION / TENSION	6 to 14
BODY / CORPS	ALUMINIUM
SPINDLE / AXE	CHROMOLY +
PLATFORM AREA / SURFACE D'APPUI	350 mm²
PLATFORM WIDTH / LARGEUR D'APPUI	57 mm
STACK HEIGHT + CLEATS / HAUTEUR D'APPUI + CALES	16,8 mm (10,7+6,1 mm)
WEIGHT (PEDAL) / POIDS (PEDALE)	200 g
WEIGHT PAIR + CLEATS / POIDS PAIRE + CALES	450 g
CLEATS WEIGHT (PAIR)	50 g
FLOAT ANGLE / LIBERTÉ ANGULAIRE	6°
RELEASE ANGLE / ANGLE DE DÉCHAUSSAGE	13°

X-TRACK CLEAT

X-TRACK CLEAT

SKU | 18234

COMPATIBILITY / COMPATIBILITÉ		X-TRACK COLLECTION GEO TREKKING COLLECTION
MATERIAL / MATIERE	PREMIUM STEEL	
CLIP OUT DIRECTION / DÉCHAUSSAGE	LATERAL	
ANGULAR FREEDOM / LIBERTE ANGULAIRE	6°	
ANGLE OF DISENGAGEMENT / ANGLE DE DÉCHAUSSAGE	13°	
LATERAL ADJUSTMENT / RÉGLAGE LATÉRAL	2 mm	
ANGULAR ADJUSTMENT / RÉGLAGE ANGULAIRE	1°	
WEIGHT PAIR / POIDS PAIRE	45 g	
ACCESSORY / ACCESSOIRE	6 SCREWS OF 5 X 9mm AND 6 WASHERS	



X-TRACK EASY CLEAT

SKU | 18235

COMPATIBILITY / COMPATIBILITÉ		X-TRACK COLLECTION GEO TREKKING COLLECTION
MATERIAL / MATIERE	PREMIUM STEEL	
CLIP OUT DIRECTION / DÉCHAUSSAGE	MULTIDIRECTIONAL	
CLIP IN / CHAUSSAGE	30% EASIER	
ANGULAR FREEDOM / LIBERTE ANGULAIRE	6°	
ANGLE OF DISENGAGEMENT / ANGLE DE DÉCHAUSSAGE	13°	
LATERAL ADJUSTMENT / RÉGLAGE LATÉRAL	2 mm	
ANGULAR ADJUSTMENT / RÉGLAGE ANGULAIRE	1°	
WEIGHT PAIR / POIDS PAIRE	45 g	
ACCESSORY / ACCESSOIRE	6 SCREWS OF 5 X 9mm AND 6 WASHERS	




X-TRACK CLEAT

X-TRACK SPACER

SKU | 20513

COMPATIBILITY / COMPATIBILITÉ		X-TRACK CLEAT X-TRACK EASY CLEAT
THICKNESS / ÉPAISSEUR	1 mm	



X-TRACK CARE KIT CHROMO

SKU | 22295

COMPATIBILITY / COMPATIBILITÉ		X-TRACK COLLECTION GEO TREKKING COLLECTION
COMPOSITION / COMPOSITION		
AXLE RIGHT & LEFT	x1	
TOOL	x1	
WASHERS	x2	
NUTS	x2	
PLAIN BEARING	x2	
BEARINGS	x4	



X-TRACK CARE KIT Ti

SKU | 22296

COMPATIBILITY / COMPATIBILITÉ		X-TRACK COLLECTION
COMPOSITION / COMPOSITION		
AXLE RIGHT & LEFT	x1	
TOOL	x1	
WASHERS	x2	
NUTS	x2	
PLAIN BEARING	x2	
BEARINGS	x4	



APPA REL



FW 19







INSULATION

EXPLORER JACKET	-10°/5°
ESSENTIAL JACKET	-5°/10°
PURIST JERSEY	10°/18°


WARMTH



WINDPROOF






WATERPROOF



PROTECTION

LMMENT STORM JACKET	8°/18°
LMMENT FUSION JACKET	8°/18°
LMMENT MOMENTUM JACKET	10°/18°



EXPLORER JACKET

| KAKI & BLACK

DEEP COLD AND WET CONDITIONS PROTECTION
THREE LAYER LAMINATE
10 000 MM WATER COLUMN
DURABLE WARTHM AND ROBUST FABRIC
REFLECTIV HIGH VISIBILITY STRIPES
FULL LENGTH ZIP

*PROTÈGE DES CONDITIONS FROIDES ET HUMIDES
ASSEMBLAGE DE 3 COUCHES TECHNIQUES
COLONNE D'EAU 10 000 MM
FABRICATION ROBUSTE ET CHAUDE
LARGES BANDES RÉFLÉCHISSANTES
FERMETURE ÉCLAIR AVEC RABAT
GRANDE POCHE CARGO À L'ARRIÈRE*

XS | S | M | L | XL | 2XL

SKU | 19878 (FOR M SIZE)



ESSENTIAL JACKET

| BLACK

SOFTSHELL JACKET CONSTRUCTION
IDEAL FOR COLD CONDITIONS
TWO CARGO BACK POCKETS
SILICONE BOTTOM WAIST GRIPPER

*CONSTRUCTION SOFTSHELL
IDÉALE POUR LES CONDITIONS FROIDES
2 POCHE CARGO À L'ARRIÈRE
INSERT SILICONÉ AU NIVEAU DE LA TAILLE
POUR UNE MEILLEURE TENUE*

XS | S | M | L | XL | 2XL

SKU | 23102 (FOR M SIZE)



PURIST LONG SLEEVES JERSEY

| KAKI & BLACK | BLACK & HEATHER GREY



COOL CONDITION WEATHER PROTECTION
REFLECTIVE STRIPES FOR HIGH VISIBILITY
FULL LENGTH ZIP
THREE BACK POCKETS

*PROTECTION IDÉALE POUR LES TEMPÉRATURES FRAICHES
BANDES RÉFLÉCHISSANTES POUR UNE MEILLEURE VISIBILITÉ
FERMETURE ÉCLAIR INTÉGRALE
3 POCHE À L'ARRIÈRE*

XS | S | M | L | XL | 2XL

SKU | 19854 (FOR M SIZE - BLACK & HEATHER GREY COLOR)



WOOL BASELAYER

| GREY

WARM WOOL PROTECTION
MID LENGTH COLLAR
SOFT AND HIGH BREATHABLE WOOL FABRIC
LIGHT WEIGHT BUT HIGHLY WARM FABRIC

*PROTECTION CHAUDE EN LAINE
COL MONTANT
TISSU RESPIRANT ET RESISTANT
LÉGER À PORTER*

XS | S | M | L | XL | 2XL

SKU | 20302 (FOR M SIZE)



LMMENT MOMENTUM JACKET

I ORANGE TANGERINE

WIND RESISTANT
WATER REPELENT + TREATMENT
BREATHABLE
FULL LENGHT WATERPROOF ZIP
STRETCHABLE FABRIC FOR ADJUSTED FITTING
REFLECTIV STRIPES FOR HIGH VISIBILITY
THREE POCKETS WITH FLAP PROTECTION DESIGN

*RÉSISTANTE AU VENT
MATIÈRE RESPIRANTE ET DÉPERLENTE (+ TRAITEMENT)
FERMETURE ÉCLAIR WATERPROOF
TISSU EXTENSIBLE POUR UN FIT PARFAIT
LARGES BANDES RÉFLÉCHISSANTES
TROIS POCHES AVEC RABAT*

XS | S | M | L | XL

SKU | 23108 (FOR M SIZE)



LMMENT STORM JACKET

I BLACK

WATERPROOF, STRETCH & LIGHT PACKABLE FABRIC
2.5 LAMINATE LAYERS FABRIC
10 000 MM WATER COLUMN WATERPROOFNESS
FULL LENGHT WATERPROOF ZIP
BONDED SEAMS FOR A FULL WATERPROOFNESS
BONDED FRONT BOTTOM HEM FOR IMPROVED
SUPPORT & WATERPROOFNESS
REFLECTIV DETAILS ON CUFF AND WAIST

*MATIÈRE WATERPROOF, RÉSISTANTE AU VENT ET FLEXIBLE
DISPOSE DE 2.5 COUCHES TECHNIQUES
COLONNE D'EAU 10 000 MM
FERMETURE ÉCLAIR WATERPROOF
ASSEMBLAGE COUSU COLLÉ POUR UNE MEILLEURE
ÉTANCHÉITÉ
GRANDES BANDES RÉFLÉCHISSANTES*

XS | S | M | L | XL | 2XL

SKU | 21835 (FOR M SIZE)



LMMENT FUSION JACKET

I BLACK

RAIN RESISTANT AND WINDPROOF FABRIC
MICRO VENTED MEMBRANE FOR HIGH BREATHABILITY
STRETCHABLE FABRIC FOR ADJUSTED FITTING
REFLECTIVE STRIPES FOR HIGH VISIBILITY
FULL LENGTH WATERPROOF ZIP
THREE POCKETS WITH FLAP PROTECTION DESIGN

*RÉSISTANT A LA PLUIE ET AUX CONDITIONS LES PLUS VENTÉES
MEMBRANE MICRO AERÉE POUR UNE RESPIRABILITEÉ MAXIMALE
TISSU EXTENSIBLE POUR UN FIT PARFAIT
LARGES BANDES RÉFLÉCHISSANTES POUR ÊTRE VISIBLE
FERMETURE ÉCLAIR WATERPROOF
TROIS POCHES AVEC RABAT*

XS | S | M | L | XL | 2XL

SKU | 19884 (FOR M SIZE)



LMMENT FUSION JERSEY

I BLACK

LMMENT FUSION TECHNOLOGY APPLIED ON A RACE JERSEY
RAIN RESISTANT AND WINDPROOF FABRIC
HIGH BREATHABLE MEMBRANE FOR HIGH PACED EFFORT
STRETCHABLE FABRIC FOR PERFECT FITTING
HIGH VISIBILITY REFLECTIVE FEATURES
FULL LENGTH WATERPROOF ZIP
THREE POCKETS WITH FLAP PROTECTION DESIGN

*LA TECHNOLOGIE LMMENT FUSION ADAPTÉE
SUR UN MAILLOT DE COURSE
RÉSISTANT A LA PLUIE ET AU VENT
MEMBRANE RESPIRANTE ADAPTÉE AUX EFFORTS INTENSES
TISSU ÉLASTIQUE POUR UN FIT PARFAIT
GRANDES BANDES RÉFLÉCHISSANTES
FERMETURE ÉCLAIR WATERPROOF
TROIS POCHES AVEC RABAT*

XS | S | M | L | XL | 2XL

SKU | 19890 (FOR M SIZE)



RADAR BIBTIGHT

I BLACK

RAIN RESISTANT AND PREMIUM THERMAL FABRIC
WARM AND COMFORTABLE FOR WET AND COLD CONDITIONS
PREMIUM PAD FOR UNRIVALLED COMFORT
SEAMLESS SUSPENDERS CONSTRUCTION

*FABRIQUÉ DANS UN TISSU THERMIQUE RÉSISTANT À LA PLUIE
CHAUD ET CONFORTABLE POUR LES SORTIES LES PLUS FROIDES
PEAU DE CHAMOIX HAUT DE GAMME
POUR UN CONFORT OPTIMAL
BRETELLES SANS COUTURES*

XS | S | M | L | XL | 2XL

SKU | 19848 (FOR M SIZE)



ASPHALT BIBTIGHT

I BLACK

THERMAL FABRIC WITH BRUSHED FLEECE
LIGHTWEIGHT MESH SUSPENDERS

*TISSU THERMIQUE
BRETELLES LÉGÈRES POUR PLUS DE RESPIRABILITÉ*

XS | S | M | L | XL | 2XL

SKU | 19830 (FOR M SIZE)



TRAMONTANE BIBTIGHT

I BLACK

THERMAL FABRIC WITH SOFT BRUSHED BACK FLEECE
LIGHTWEIGHT MESH SUSPENDERS FOR HIGH BREATHABILITY
ADDITIONAL BACK KNEE PANELS FOR EXTRA STRETCHABILITY

*TISSU THERMIQUE AVEC POLAIRE
BRETELLES LÉGÈRES POUR PLUS DE RESPIRABILITÉ
INSERTS ANATOMIQUES À L'ARRIÈRE DES GENOUX
POUR PLUS DE FLEXIBILITÉ*

XS | S | M | L | XL | 2XL

SKU | 19836 (FOR M SIZE)



TRAMONTANE BIBSHORT

I BLACK

THERMAL BIBSHORT WITH LONG TIGHTS LENGTH
WARM AND COMFORTABLE BRUSHED BACK FLEECE
LIGHTWEIGHT MESH SUSPENDERS FOR BREATHABILITY
SOFT LEGS GRIPPERS

*CUISSARD THERMIQUE LONG
TISSU THERMIQUE
BRETELLES LÉGÈRES POUR PLUS DE RESPIRABILITÉ
INSERTS SILICONÉS À L'EXTREMITÉ DES CUISSSES*

XS | S | M | L | XL | 2XL

SKU | 19842 (FOR M SIZE)



RADAR PAD

DURATION | **OVER 7H**

COMFORT/DENSITY : LUXURY EXTRA FIRM - 120 KG/M3
TECHNOLOGY : REDUCED POINTS OF CONTACT,
PROMOTING AIR CIRCULATION FOR A BETTER
BREATHABILITY AND TEMPERATURE CONTROL,
THANKS TO THE FABRIC
FIT : ANATOMICAL FIT TO IMPROVE THE
PROTECTION THROUGHOUT THE PELVIC TRACT

*CONFORT/DENSITÉ : 120 KG/M3
TECHNOLOGIE : RÉDUCTION DES POINTS DE CONTACT,
PERMETTANT UNE MEILLEURE CIRCULATION DE L' AIR POUR UNE MEILLEURE
RESPIRABILITÉ ET UN MEILLEUR CONTRÔLE DE LA TEMPÉRATURE
FIT : FORME ANATOMIQUE AFIN D'AMÉLIORER LA PROTECTION ISCHIATIQUE*



ASPHALT PAD

DURATION | **OVER 4H**

COMFORT/DENSITY : MID FIRM - 60 KG/M3
TECHNOLOGY : PERFORATED INSERTS ON ISCHIATIC AREAS
FIT : WIDE SIT BONES PADDING AREA

*CONFORT/DENSITÉ : 60 KG/M3
TECHNOLOGIE : INSERTS PERFORÉS AU NIVEAU
DES PARTIES ISCHIATIQUES
FIT : PANNEAUX LARGES POSITIONNÉS AU NIVEAU
DES PARTIES OSSEUSES*



TRAMONTANE PAD

DURATION | **UP TO 5H**

COMFORT/DENSITY : FIRM - 80 KG/M3
TECHNOLOGY : CENTRAL CHANNEL DESIGNED TO
IMPROVE SADDLE STABILITY AND RELIEF PRESSURE
FIT : SMOOTH DESIGN FOR A CLOSE AND CONTINUOUS
SKIN CONTACT

*CONFORT/DENSITÉ : 80 KG/M3
TECHNOLOGIE : SUPPORT CENTRAL CONÇU POUR
AMÉLIORER LA STABILITÉ ET LE CONFORT DES PARTIES
EN APPUI SUR LA SELLE
FIT : FORME RÉDUITE POUR UN CONTACT PLUS NATUREL
ET PROCHE DE LA PEAU*



ZEBRA CAP

| ORANGE | KAKI



ANTI MOISTURE TAPE INSIDE

MATIÈRE INTÉRIEURE ANTI HUMIDITÉ

SKU | 20317 (FOR ORANGE COLOR)



ZEBRA NECK WARMER

| BLACK & ORANGE | BLACK & KAKI



MULTIPURPOSE,
SEAMLESS CONSTRUCTION WITH SOFT FABRIC,
COMFORTABLE

*MULTI USAGES
MATIÈRE DOUCE ET CONFORTABLE
CONSTRUCTION SANS COUTURES*

SKU | 20309 (FOR ORANGE COLOR)



SOLID WOOL SOCKS

| BLACK & ORANGE | BLACK & KAKI | BLACK & GREY



FINEST MERINOS CYCLING SOCKS
WARM AND BREATHABLE

*LAINES MERINOS
CHAUDS ET RESPIRANTES*

S-M | L-XL

SKU | 20313 (FOR S-M SIZE & ORANGE COLOR)



CAP

| REPLICA

SKU | 12487



NECK WARMER

| REPLICA

SKU | 1548



MERINO SOCKS

| REPLICA

S-M | L-XL

SKU | 16247
(FOR S-M SIZE)



RAINFALL GLOVES

| REPLICA

S-M | L-XL

SKU | 11131
(FOR S-M SIZE)



AIRSPEED COVERS

| REPLICA

S-M | L-XL

SKU | 11135
(FOR S-M SIZE)



RAINFALL COVERS

| REPLICA

S-M | L-XL

SKU | 11133
(FOR S-M SIZE)



RACE FITTING

THE RACE FITTING IS DESIGNED TO BE WORN REALLY CLOSE TO THE SKIN. MATERIALS AND FABRICS ARE SELECTED TO HUG PERFECTLY YOUR FIGURE.

RACE FIT IS APPLICABLE TO OUR RACE RANGE.

LA COUPE RACE EST CONÇUE DE MANIÈRE AJUSTÉE, POUR ÊTRE PORTÉE AU PLUS PRÈS DE VOTRE CORPS. LES TISSUS SONT SÉLECTIONNÉS POUR ÉPOUSER PARFAITEMENT VOTRE MORPHOLOGIE.

LA COUPE RACE S'APPLIQUE À NOTRE GAMME DE PRODUITS RACE.



FONDO FITTING

THE FONDO FITTING IS DEVELOPPED WITH A STRAIGHT AND RELAXED DESIGN, TO BE WORN BY EVERY RIDERS. THE STRETCH FABRICS ARE SELECTED TO MATCH WITH THE MAJORITY OF THE MORPHOLOGIES.

FONDO FIT IS APPLICABLE TO OUR FONDO, FONDO LIGHTWEIGHT AND INSULATION RANGES.

LA COUPE FONDO EST CONÇUE DE MANIÈRE DROITE ET DÉCONTRACTÉE, POUR ÊTRE PORTÉE PAR TOUS. LES TISSUS STRETCH SONT SÉLECTIONNÉS POUR S'ADAPTER À LA MAJORITÉ DES MORPHOLOGIES.

LA COUPE FONDO S'APPLIQUE À NOTRE GAMME DE PRODUITS FONDO, FONDO LIGHTWEIGHT ET INSULATION.



PROTECTION FITTING

THE PROTECTION FITTING IS DESIGNED TO BE WORN CLOSE TO THE SKIN. THE STRETCH FABRICS ARE SELECTED TO MATCH WITH THE MAJORITY OF THE MORPHOLOGIES.

PROTECTION FIT IS APPLICABLE TO OUR PROTECTION / LMMENT RANGE.

LA COUPE PROTECTION EST CONÇUE DE MANIÈRE AJUSTÉE, POUR ÊTRE PORTÉE PRÈS DU CORPS. LES TISSUS EXTENSIBLES SONT SÉLECTIONNÉS POUR S'ADAPTER AUX DIFFÉRENTES MORPHOLOGIES.


LA COUPE PROTECTION S'APPLIQUE À NOTRE GAMME DE PRODUITS PROTECTION / LMMENT.



SIZES I TAILLES (cm)	XS	S	M	L	XL	2XL
A I CHEST I POITRINE	80 - 85	86 - 91	92 - 98	99 - 105	106 - 111	112 - 117
B I WAIST I TAILLE	69 - 73	74 - 79	80 - 86	87 - 92	93 - 98	99 - 105
C I HIP I HANCHE	82 - 86	87 - 92	93 - 99	100 - 106	107 - 112	113 - 118

GLOVES I GANTS (cm)	S	M	L	XL
I HAND CIRCUMFERENCE I CIRCONFÉRENCE MAIN	18 - 20	20 - 22	22 - 24	24 - 26

SOCKS I CHAUSSETTES (cm)	S-M	L-XL
I SIZE I POINTURE	38 - 41	42 - 45



SEG MEN TATION

ROAD BIKES GUIDE
SEGMENTATION VÉLOS ROUTE

ALTITUDE
I RIDE HIGHER

785 HUEZ RS DISC



785 HUEZ RS



785 HUEZ DISC




785 HUEZ




AERO
I RIDE FASTER


796 MONOBLADE RS




795 BLADE RS DISC



795 BLADE RS



795 LIGHT RS



ENDURANCE
I RIDE LONGER

E-765 OPTIMUM



765 OPTIMUM DISC



765 OPTIMUM





ROAD BIKES **AERO**

4 SEATPOST POSITIONS
OFF SET FROM 54 MM TO -6 MM
SEAT TUBE ANGLES FROM 71.8° TO 78.4°

4 POSITIONS DE TIGE DE SELLE
DÉCALAGE DE 54 MM À -6 MM
TUBE DE SELLE DE 71.8° À 78.4°

INVISIBLE SEAT POST CLAMP
AERODYNAMIC AND EASY TO ACCESS & ADJUST

SERRAGE TIGE DE SELLE INVISIBLE
AÉRODYNAMIQUE, ACCÈS ET AJUSTEMENT SIMPLIFIÉS

DESIGNED & MANUFACTURED BY LOOK

DÉVELOPPÉ & FABRIQUÉ CHEZ LOOK

AERO TRUNCATED SECTION

SECTION TRONQUÉE AERO

INTEGRATED AERO COCKPIT
INTEGRATED CABLE ROUTING

6 STEM SIZES
FROM 80 MM TO 130 MM

COCKPIT AERO INTÉGRÉ
CABLES INTÉGRÉS
6 TAILLES DE POTENCE
DE 80 MM À 130 MM

DESIGNED FOR VERSATILITY
BOTTOM BRACKET - EASY ROUTING

DÉVELOPPÉ POUR LA VERSATILITÉ
BOÎTIER DE PÉDALIER - ROUTAGE FACILE

DESIGNED FOR PERFORMANCE
3S DESIGN - AERODYNAMICS - ERGONOMICS

DÉVELOPPÉ POUR LA PERFORMANCE
DESIGN 3S - AÉRODYNAMIQUE - ERGONOMIQUE

795 BLADE RS
I RANGE

BIKE / ROAD / AERO
SKU | 23256 (FOR M SIZE)

795 BLADE RS DISC

I SRAM RED ETAP 2X12 DISC | BLACK RED GLOSSY MAT



MOUNTING / MONTAGE	
CRANKSET / PÉDALIER	SRAM RED CARBON DUB (XS-S 170 / M-L 172,5 / XL 175)
CHAINRING / PLATEAUX	SRAM RED CARBON DUB 50 x 37
BB / BOÎTIER DE PÉDALIER	BB 386 / TOKEN NINJA SRAM DUB
CHAIN / CHAÎNE	SRAM RED 12 S
CASSETTE / CASSETTE	SRAM RED 10 x 33 XG 1290
SHIFTERS / MANETTES	SRAM RED ETAP AXS WIRELESS HYDRAULIC
DERAILLEUR / DÉRAILLEUR	SRAM RED ETAP AXS
BRAKES / FREINS	SRAM RED FLAT MOUNT
ROTORS / DISQUES	SRAM CENTERLOCK F : 160 mm R : 140 mm
THRU AXLE / AXES TRAVERSANTS	MAVIC SPEED RELEASE READY 142X12 R / 100X12 F
SEATPOST / TIGE DE SELLE	LOOK AEROPOST 2. CARBON 400 mm
SADDLE / SELLE	LOOK BY SAN MARCO SHORT FIT CARBON FX NARROW OPEN FIT
STEM / POTENCE	LOOK ADS (XS 90 / S 100 / M-L 110 / XL 120)
H-BAR	LOOK ADH 2.1 CARBON (XS 38 / S 40 / M-L 42 / XL 44)
WHEELS / ROUES	MAVIC COSMIC PRO CARBON SL UST (Tubeless) DISC CL
TIRES / PNEUS	MAVIC YKSION PRO UST (Tubeless) 25
WEIGHT / POIDS	7,78 kgs* (SIZE M / WITHOUT PEDALS) * ESTIMATE

BIKE / ROAD / AERO
SKU | 23266 (FOR M SIZE)

795 BLADE RS DISC

| SHIMANO DURA ACE DI2 2X11 DISC | PROTEAM WHITE GLOSSY



MOUNTING / MONTAGE

CRANKSET / PÉDALIER	SHIMANO DURA ACE R 9100 (XS-S 170 / M-L 172,5 / XL 175)
CHAINRING / PLATEAUX	SHIMANO DURA ACE R 9100 52 x 36
BB / BOÎTIER DE PÉDALIER	BB 386 / TOKEN NINJA TF 38624
CHAIN / CHAÎNE	SHIMANO DURA ACE HG 901
CASSETTE / CASSETTE	SHIMANO DURA ACE R 9100 11x28
SHIFTERS / MANETTES	SHIMANO DURA ACE DI2
DERAILLEUR / DÉRAILLEUR	SHIMANO DURA ACE DI2 R 9150
BRAKES / FREINS	SHIMANO DURA ACE DISC HYDRAU
ROTORS / DISQUES	SHIMANO CENTERLOCK RT 900 F : 160 mm R : 140 mm
THRU AXLE / AXES TRAVERSANTS	MAVIC SPEED RELEASE READY 142X12 R / 100X12 F
SEATPOST / TIGE DE SELLE	LOOK AEROPOST 2. CARBON 400 mm
SADDLE / SELLE	PROLOGO DIMENSION TIROX
STEM / POTENCE	LOOK ADS (XS 90 / S 100 / M-L 110 / XL 120)
H-BAR	LOOK ADH 2.1 CARBON (XS 38 / S 40 / M-L 42 / XL 44)
WHEELS / ROUES	CORIMA WS BLACK DX
TIRES / PNEUS	VITTORIA CORSA G+ 700 X 28
WEIGHT / POIDS	7,87 kgs* (SIZE M / WITHOUT PEDALS) * ESTIMATE

BIKE / ROAD / AERO
SKU | 23276 (FOR M SIZE)

795 BLADE RS DISC

| SRAM FORCE ETAP 2X12 DISC | PROTEAM WHITE GLOSSY



MOUNTING / MONTAGE

CRANKSET / PÉDALIER	SRAM FORCE CARBON DUB (XS-S 170 / M-L 172,5 / XL 175)
CHAINRING / PLATEAUX	SRAM FORCE CARBON DUB 48 x 35
BB / BOÎTIER DE PÉDALIER	BB 386 / TOKEN NINJA SRAM DUB
CHAIN / CHAÎNE	SRAM FORCE 12 S
CASSETTE / CASSETTE	SRAM FORCE 10 x 28 XG 1270
SHIFTERS / MANETTES	SRAM FORCE ETAP AXS WIRELESS HYDRAULIC
DERAILLEUR / DÉRAILLEUR	SRAM FORCE ETAP AXS
BRAKES / FREINS	SRAM FORCE DISC FLAT MOUNT
ROTORS / DISQUES	SRAM CENTERLOCK F : 160 mm R : 140 mm
THRU AXLE / AXES TRAVERSANTS	MAVIC SPEED RELEASE READY 142X12 R / 100X12 F
SEATPOST / TIGE DE SELLE	LOOK AEROPOST 2. CARBON 400 mm
SADDLE / SELLE	LOOK BY SAN MARCO SHORT FIT CARBON FX NARROW OPEN FIT
STEM / POTENCE	LOOK ADS (XS 90 / S 100 / M-L 110 / XL 120)
H-BAR	LOOK ADH 2.1 CARBON (XS 38 / S 40 / M-L 42 / XL 44)
WHEELS / ROUES	MAVIC COSMIC PRO CARBON SL UST (Tubeless) DISC CL
TIRES / PNEUS	MAVIC YKSION PRO UST (Tubeless) 25
WEIGHT / POIDS	8,10 kgs* (SIZE M / WITHOUT PEDALS) * ESTIMATE

BIKE / ROAD / AERO
SKU | 23286 (FOR M SIZE)

795 BLADE RS DISC
I SHIMANO ULTEGRA DI2 2X11 DISC I METALLIC BLUE GLOSSY



MOUNTING / MONTAGE

CRANKSET / PÉDALIER	SHIMANO ULTEGRA R 8000 (XS-S 170 / M-L 172,5 / XL 175)
CHAINRING / PLATEAUX	SHIMANO ULTEGRA R 8000 52 x 36
BB / BOÎTIER DE PÉDALIER	BB 386 / TOKEN NINJA TF 38624
CHAIN / CHAÎNE	SHIMANO ULTEGRA HG 601
CASSETTE / CASSETTE	SHIMANO ULTEGRA R 8000 11X28
SHIFTERS / MANETTES	SHIMANO ULTEGRA DI2
DERAILLEUR / DÉRAILLEUR	SHIMANO ULTEGRA DI2 R 8050
BRAKES / FREINS	SHIMANO ULTEGRA DISC HYDRAU
ROTORS / DISQUES	SHIMANO CENTERLOCK RT 800 F : 160 mm R : 140 mm
THRU AXLE / AXES TRAVERSANTS	MAVIC SPEED RELEASE READY 142X12 R / 100 X 12 F
SEATPOST / TIGE DE SELLE	LOOK AEROPOST 2. CARBON 400 mm
SADDLE / SELLE	ITALIA SLR LIGHT FLOW BLACK
STEM / POTENCE	LOOK ADS (XS 90 / S 100 / M-L 110 / XL 120)
H-BAR	LOOK ADH 2.1 CARBON (XS 38 / S 40 / M-L 42 / XL 44)
WHEELS / ROUES	CORIMA WS BLACK DX
TIRES / PNEUS	VITTORIA CORSA G+ 700 X 28
WEIGHT / POIDS	8,28 kgs* (SIZE M / WITHOUT PEDALS) * ESTIMATE

BIKE / ROAD / AERO
SKU | 23330 (FOR M SIZE)

795 BLADE RS DISC
I SHIMANO ULTEGRA 2X11 DISC I FULL BLACK GLOSSY MAT



MOUNTING / MONTAGE

CRANKSET / PÉDALIER	SHIMANO ULTEGRA R 8000 (XS-S 170 / M-L 172,5 / XL 175)
CHAINRING / PLATEAUX	SHIMANO ULTEGRA R 8000 52 x 36
BB / BOÎTIER DE PÉDALIER	BB 386 / TOKEN NINJA TF 38624
CHAIN / CHAÎNE	SHIMANO ULTEGRA HG 601
CASSETTE / CASSETTE	SHIMANO ULTEGRA R 8000 11x32
SHIFTERS / MANETTES	SHIMANO ULTEGRA
DERAILLEUR / DÉRAILLEUR	SHIMANO ULTEGRA R 8000
BRAKES / FREINS	SHIMANO ULTEGRA DISC HYDRAU
ROTORS / DISQUES	SHIMANO CENTERLOCK RT 800 F : 160 mm R : 140 mm
THRU AXLE / AXES TRAVERSANTS	MAVIC SPEED RELEASE READY 142X12 R / 100 X 12 F
SEATPOST / TIGE DE SELLE	LOOK AEROPOST 2. CARBON 400 mm
SADDLE / SELLE	LOOK BY SAN MARCO SHORT FIT DYNAMIC NARROW OPEN FIT
STEM / POTENCE	LOOK ADS (XS 90 / S 100 / M-L 110 / XL 120)
H-BAR	LOOK LS2 ALLOY (XS-S 40 / M-L 42 / XL 44)
WHEELS / ROUES	SHIMANO RS 370 Tubeless
TIRES / PNEUS	HUTCHINSON FUSION 5 Performance 28
WEIGHT / POIDS	8,33 kgs* (SIZE M / WITHOUT PEDALS) * ESTIMATE

BIKE / ROAD / AERO
SKU | 23325 (FOR M SIZE)

795 BLADE RS DISC TT

I SHIMANO ULTEGRA DI2 2X11 HYDRAULIC DISC BRAKE I PROTEAM WHITE GLOSSY



MOUNTING / MONTAGE

CRANKSET / PÉDALIER	SHIMANO ULTEGRA R 8000 (XS-S 170 / M-L 172,5 / XL 175)
CHAINRING / PLATEAUX	SHIMANO ULTEGRA R 8000 52 x 36
BB / BOÎTIER DE PÉDALIER	BB 386 / TOKEN NINJA TF 38624
CHAIN / CHAÎNE	SHIMANO ULTEGRA HG 601
CASSETTE / CASSETTE	SHIMANO ULTEGRA R 8000 11X28
SHIFTERS / MANETTES	SHIMANO ULTEGRA DI2 FOR TT HB
DERAILLEUR / DÉRAILLEUR	SHIMANO ULTEGRA DI2 R 8050
BRAKES / FREINS	TEKTRO HYRD FLAT MOUNT
ROTORS / DISQUES	SHIMANO CENTERLOCK RT 800 F : 160 mm R : 140 mm
THRU AXLE / AXES TRAVERSANTS	MAVIC SPEED RELEASE READY 142X12 R / 100 X 12 F
SEATPOST / TIGE DE SELLE	LOOK AEROPOST 2. CARBON 400 mm LONG OFFSET HEAD
SADDLE / SELLE	ITALIA SLR LIGHT FLOW BLACK
STEM / POTENCE	LOOK ADS (XS 90 / S 100 / M-L 110 / XL 120)
H-BAR	LOOK AEROFLAT BAR CARBON 400 MM + AERGO EXTENSIONS
WHEELS / ROUES	CORIMA WS BLACK DX
TIRES / PNEUS	VITTORIA CORSA G+ 700 X 28
WEIGHT / POIDS	8,74 kgs* (SIZE M / WITHOUT PEDALS) *ESTIMATE

BIKE / ROAD / AERO
SKU | 23310 (FOR M SIZE)

795 BLADE RS

I SHIMANO DURA ACE DI2 2X11 I PROTEAM WHITE GLOSSY



MOUNTING / MONTAGE

CRANKSET / PÉDALIER	SHIMANO DURA ACE R 9100 (XS-S 170 / M-L 172,5 / XL 175)
CHAINRING / PLATEAUX	SHIMANO DURA ACE R 9100 52 x 36
BB / BOÎTIER DE PÉDALIER	BB 386 / TOKEN NINJA TF 38624
CHAIN / CHAÎNE	SHIMANO DURA ACE HG 901
CASSETTE / CASSETTE	SHIMANO DURA ACE R 9100 11x28
SHIFTERS / MANETTES	SHIMANO DURA ACE DI2
DERAILLEUR / DÉRAILLEUR	SHIMANO DURA ACE DI2 R 9150
BRAKES / FREINS	SHIMANO DURA ACE RIM
ROTORS / DISQUES	-
THRU AXLE / AXES TRAVERSANTS	-
SEATPOST / TIGE DE SELLE	LOOK AEROPOST 2. CARBON 400 mm
SADDLE / SELLE	PROLOGO DIMENSION TIROX
STEM / POTENCE	LOOK ADS (XS 90 / S 100 / M-L 110 / XL 120)
H-BAR	LOOK ADH 2.1 CARBON (XS 38 / S 40 / M-L 42 / XL 44)
WHEELS / ROUES	CORIMA WS BLACK
TIRES / PNEUS	VITTORIA CORSA G+ 700 X 25
WEIGHT / POIDS	7,42 kgs* (SIZE M / WITHOUT PEDALS) *ESTIMATE

BIKE / ROAD / AERO
SKU | 23315 (FOR M SIZE)

795 BLADE RS

I SHIMANO ULTEGRA DI2 2X11 I METALLIC BLUE GLOSSY



MOUNTING / MONTAGE

CRANKSET / PÉDALIER	SHIMANO ULTEGRA R 8000 (XS-S 170 / M-L 172,5 / XL 175)
CHAINRING / PLATEAUX	SHIMANO ULTEGRA R 8000 52 x 36
BB / BOÎTIER DE PÉDALIER	BB 386 / TOKEN NINJA TF 38624
CHAIN / CHAÎNE	SHIMANO ULTEGRA HG 601
CASSETTE / CASSETTE	SHIMANO ULTEGRA R 8000 11x28
SHIFTERS / MANETTES	SHIMANO ULTEGRA DI2
DERAILLEUR / DÉRAILLEUR	SHIMANO ULTEGRA DI2 R 8050
BRAKES / FREINS	SHIMANO ULTEGRA
ROTORS / DISQUES	-
THRU AXLE / AXES TRAVERSANTS	-
SEATPOST / TIGE DE SELLE	LOOK AEROPOST 2. CARBON 400 mm
SADDLE / SELLE	ITALIA SLR LIGHT FLOW BLACK
STEM / POTENCE	LOOK ADS (XS 90 / S 100 / M-L 110 / XL 120)
H-BAR	LOOK ADH 2.1 CARBON (XS 38 / S 40 / M-L 42 / XL 44)
WHEELS / ROUES	CORIMA WS BLACK
TIRES / PNEUS	VITTORIA CORSA G+ 700 X 25
WEIGHT / POIDS	7,78 kgs* (SIZE M / WITHOUT PEDALS) * ESTIMATE

BIKE / ROAD / AERO
SKU | 23320 (FOR M SIZE)

795 BLADE RS

I SHIMANO ULTEGRA 2X11 I FULL BLACK GLOSSY MAT



MOUNTING / MONTAGE

CRANKSET / PÉDALIER	SHIMANO ULTEGRA R 8000 (XS-S 170 / M-L 172,5 / XL 175)
CHAINRING / PLATEAUX	SHIMANO ULTEGRA R 8000 52 x 36
BB / BOÎTIER DE PÉDALIER	BB 386 / TOKEN NINJA TF 38624
CHAIN / CHAÎNE	SHIMANO ULTEGRA HG 601
CASSETTE / CASSETTE	SHIMANO ULTEGRA R 8000 11x32
SHIFTERS / MANETTES	SHIMANO ULTEGRA
DERAILLEUR / DÉRAILLEUR	SHIMANO ULTEGRA R 8000
BRAKES / FREINS	SHIMANO ULTEGRA
ROTORS / DISQUES	-
THRU AXLE / AXES TRAVERSANTS	-
SEATPOST / TIGE DE SELLE	LOOK AEROPOST 2. CARBON 400 mm
SADDLE / SELLE	ITALIA SLR LIGHT FLOW BLACK
STEM / POTENCE	LOOK ADS (XS 90 / S 100 / M-L 110 / XL 120)
H-BAR	LOOK LS2 ALLOY (XS-S 40 / M-L 42 / XL 44)
WHEELS / ROUES	MAVIC KSYRIUM BLACK UST
TIRES / PNEUS	MAVIC YKSION ELITE UST 25
WEIGHT / POIDS	7,90 kgs* (SIZE M / WITHOUT PEDALS) * ESTIMATE

BIKE / ROAD / AERO
SKU | 23335 (FOR M SIZE)

795 LIGHT RS
I SHIMANO DURA ACE DI2 2X11 I PROTEAM WHITE GLOSSY



MOUNTING / MONTAGE

CRANKSET / PÉDALIER	LOOK ONE PIECE CARBON ZED 2 (XS-S-M-L-XL : 170 / 172,5 / 175mm)
CHAINRING / PLATEAUX	LOOK ZED 2 52 x 36
BB / BOÎTIER DE PÉDALIER	BB 65 LOOK SPECIFIC
CHAIN / CHAÎNE	SHIMANO DURA ACE HG 901
CASSETTE / CASSETTE	SHIMANO DURA ACE R 9100 11x28
SHIFTERS / MANETTES	SHIMANO DURA ACE DI2
DERAILLEUR / DÉRAILLEUR	SHIMANO DURA ACE DI2 R 9150
BRAKES / FREINS	SHIMANO DURA ACE
ROTORS / DISQUES	-
THRU AXLE / AXES TRAVERSANTS	-
SEATPOST / TIGE DE SELLE	LOOK E-POST 2. CARBON INTEGRATED
SADDLE / SELLE	PROLOGO DIMENSION TIROX
STEM / POTENCE	LOOK AEROSTEM (XS 90/S 100 / M – L 110 / XL 120)
H-BAR	LOOK ADH 2.1 CARBON (XS 38 / S 40 / M – L 42 / XL 44)
WHEELS / ROUES	CORIMA WS BLACK
TIRES / PNEUS	VITTORIA CORSA G+ 700 X 25
WEIGHT / POIDS	7,24 kgs* (SIZE M / WITHOUT PEDALS) * ESTIMATE

BIKE / ROAD / AERO
SKU | 23340 (FOR M SIZE)

795 LIGHT RS
I SHIMANO ULTEGRA DI2 2X11 I METALLIC BLUE GLOSSY MAT



MOUNTING / MONTAGE

CRANKSET / PÉDALIER	LOOK ONE PIECE CARBON ZED 2 (XS-S-M-L-XL : 170 / 172,5 / 175mm)
CHAINRING / PLATEAUX	LOOK ZED 2 52 x 36
BB / BOÎTIER DE PÉDALIER	BB 65 LOOK SPECIFIC
CHAIN / CHAÎNE	SHIMANO ULTEGRA HG 601
CASSETTE / CASSETTE	SHIMANO ULTEGRA R 8000 11x28
SHIFTERS / MANETTES	SHIMANO ULTEGRA DI2
DERAILLEUR / DÉRAILLEUR	SHIMANO ULTEGRA DI2 R 8050
BRAKES / FREINS	SHIMANO ULTEGRA
ROTORS / DISQUES	-
THRU AXLE / AXES TRAVERSANTS	-
SEATPOST / TIGE DE SELLE	LOOK E-POST 2. CARBON INTEGRATED
SADDLE / SELLE	ITALIA SLR LIGHT FLOW BLACK
STEM / POTENCE	LOOK AEROSTEM (XS 90/S 100 / M – L 110 / XL 120)
H-BAR	LOOK ADH 2.1 CARBON (XS 38 / S 40 / M – L 42 / XL 44)
WHEELS / ROUES	CORIMA WS BLACK
TIRES / PNEUS	VITTORIA CORSA G+ 700 X 25
WEIGHT / POIDS	7,32 kgs* (SIZE M / WITHOUT PEDALS) * ESTIMATE

796 MONOBLADE RS

I FRAMESET
I PROTEAM WHITE GLOSSY
SKU | 20999 (FOR M SIZE)



MOUNTING / MONTAGE	
FRAME / CADRE	VERY HIGH MODULUS CARBON 1.5K WEAVE FINISH
CRANKSET / PÉDALIER	LOOK ZED 3 (WITHOUT PLATES)
BB / BOÎTIER DE PÉDALIER	BB 65 LOOK SPECIFIC
BRAKES / FREINS	AEROBRAKE 2 FRONT BRAKE / SHIMANO DURA ACE REAR BRAKE
SEATPOST / TIGE DE SELLE	LOOK AEROPOST WITH REVERSIBLE HEAD. REPLACEABLE SADDLE TUBE
STEM / POTENCE	LOOK AEROFLAT STEM ALUMINIUM AVAILABLE LENGTHS: FROM 85 TO 110 MM
H-BAR	AEROFLATBAR REVERSIBLE CARBON HANDLEBAR AERGO MULTI-POSITION CARBON ARM REST AND EXTENSION
TIRES / PNEUS	COMPATIBLE WITH TYRES WITH A MAXIMUM SIZE OF 25 MM

795 LIGHT RS

I FRAMESET
I PROTEAM WHITE GLOSSY
SKU | 20980 (FOR M SIZE)



795 LIGHT RS

I FRAMESET
I METALLIC BLUE GLOSSY MAT
SKU | 23218 (FOR M SIZE)



MOUNTING / MONTAGE	
FRAME / CADRE	VERY HIGH MODULUS CARBON 1.5K WEAVE FINISH
CRANKSET / PÉDALIER	LOOK ZED 2 (WITHOUT PLATES)
BB / BOÎTIER DE PÉDALIER	BB 65 LOOK SPECIFIC
SEATPOST / TIGE DE SELLE	LOOK E POST 2 ELASTOMER CARBON
STEM / POTENCE	LOOK AEROSTEM CARBON 1,5 K ROTATIVE : -13° TO + 17° AVAILABLE LENGTHS: FROM 80 TO 130 MM, IN 10 MM INTERVALS
TIRES / PNEUS	COMPATIBLE WITH TYRES WITH A MAXIMUM SIZE OF 25 MM

795 BLADE RS

I FRAMESET I AVAILABLE IN RIM & DISC VERSION
I METALLIC BLUE GLOSSY
SKU I 22236 (FOR M SIZE & DISC VERSION)



795 BLADE RS

I FRAMESET I AVAILABLE IN RIM & DISC VERSION
I PROTEAM WHITE GLOSSY
SKU I 20670 (FOR M SIZE & DISC VERSION)



795 BLADE RS

I FRAMESET I AVAILABLE IN RIM & DISC VERSION
I FULL BLACK GLOSSY MAT
SKU I 23251 (FOR M SIZE & DISC VERSION)



795 BLADE RS

I FRAMESET I AVAILABLE IN RIM & DISC VERSION
I BLACK RED GLOSSY MAT
SKU I 23246 (FOR M SIZE & DISC VERSION)



MOUNTING / MONTAGE	
FRAME / CADRE	VERY HIGH MODULUS UD CARBON FINISH
BB / BOÎTIER DE PÉDALIER	BB 386
THRU AXLE / AXES TRAVERSANTS	SUPPLIED WITH DISC FRAMES ONLY: MAVIC SPEED RELEASE READY THROUGH-AXLE SYSTEM (WITHOUT LEVERS, ADJUSTABLE USING 6 MMALLAN KEYS) (100MM X D12 - M12 X 2 - P1 DOUBLE LEAD THREAD THRU/ 142MM X D12 – M12 X2 –P1 DOUBLE LEAD THREAD THRU)
SEATPOST / TIGE DE SELLE	LOOK AEROPOST 2, LENGTH 400 MM. REVERSIBLE HEAD
STEM / POTENCE	LOOK ADH: AERO DESIGN STEM MADE OF ALUMINIUM. ANGLE ADJUSTMENT -10° AVAILABLE LENGTHS: FROM 80 TO 130 MM, IN 10 MM INTERVALS
TIRES / PNEUS	COMPATIBLE WITH TYRES WITH A MAXIMUM SIZE OF 28 MM FOR THE RIM BRAKE VERSION AND 30 MM FOR THE DISC BRAKE VERSION



ROAD BIKES **ALTITUDE**

NANO LAYER CONSTRUCTION
PRECISE POSITION AND ORIENTATION OF EACH THIN
LAYERS OF CARBON

NANO LAYER CONSTRUCTION
POSITION ET ORIENTATION PRÉCISE DE CHACUNE
DES FINES COUCHES DE CARBONE

ULTRA HIGH MODULUS CARBON

CARBONE TECHNIQUE
TRÈS HAUT MODULE

FLAT MOUNT SYSTEM
FOR DISC VERSION

FLAT MOUNT SYSTEM
POUR LA VERSION DISQUE

**THROUGH AXLE
SPEEDRELEASE**
FOR DISC VERSION


**AXE TRAVERSANT
SPEEDRELEASE**
POUR LA VERSION DISQUE

TUBELESS
TUBELESS

OPTIMIZED INERTIA SECTION
OPTIMIZED TUBE SHAPE, SIZE AND LENGTH
FOR AN IMPROVED STIFFNESS-TO-WEIGHT RATIO

OPTIMIZED INERTIA SECTION
FORMES ET SECTIONS DES TUBES OPTIMISÉES
POUR UN MEILLEUR RATIO POIDS / RIGIDITÉ

785 HUEZ RS
I RANGE



MOUNTING / MONTAGE	
CRANKSET / PÉDALIER	SRAM FORCE CARBON DUB
CHAINRING / PLATEAUX	SRAM FORCE CARBON DUB 48 x 35
BB / BOÎTIER DE PÉDALIER	BB PF 86.5 / TOKEN NINJA SRAM DUB
CHAIN / CHAÎNE	SRAM FORCE 12 S
CASSETTE / CASSETTE	SRAM FORCE 10x28 XG 1270
SHIFTERS / MANETTES	SRAM FORCE ETAP AXS WIRELESS HYDRAULIC
DERAILLEUR / DÉRAILLEUR	SRAM FORCE ETAP AXS
BRAKES / FREINS	SRAM FORCE DISC FLAT MOUNT
ROTORS / DISQUES	SRAM CENTERLOCK F : 160 mm R : 140 mm
THRU AXLE / AXES TRAVERSANTS	MAVIC SPEED RELEASE READY 142X12 R / 100X12 F
SEATPOST / TIGE DE SELLE	LOOK LS1 CARBON SUPER LIGHT 27.2 mm 350 mm
SADDLE / SELLE	LOOK BY SAN MARCO SHORT FIT CARBON FX NARROW OPEN FIT
STEM / POTENCE	LOOK LS1 ALLOY SUPER LIGHT (XS 90 / S 100 / M-L 110 / XL 120)
H-BAR	LOOK LS1 CARBON (XS-S 40 / M-L 42 / XL 44)
WHEELS / ROUES	MAVIC COSMIC PRO CARBON SL UST (Tubeless) DISC CL
TIRES / PNEUS	MAVIC YKSION PRO UST (Tubeless) 25
WEIGHT / POIDS	7,37 kgs* (SIZE M / WITHOUT PEDALS) *ESTIMATE

BIKE / ROAD / ALTITUDE
SKU | 22841 (FOR M SIZE)

785 HUEZ RS DISC

I SHIMANO ULTEGRA DI2 2X11 DISC | BLACK RED GLOSSY MAT



MOUNTING / MONTAGE

CRANKSET / PÉDALIER	SHIMANO ULTEGRA R 8000 (XS-S 170 / M-L 172,5 / XL 175)
CHAINRING / PLATEAUX	SHIMANO ULTEGRA R 8000 52 x 36
BB / BOÎTIER DE PÉDALIER	BB PF 86.5 / TOKEN NINJA TF 841
CHAIN / CHAÎNE	SHIMANO ULTEGRA HG 601
CASSETTE / CASSETTE	SHIMANO ULTEGRA R 8000 11x32
SHIFTERS / MANETTES	SHIMANO ULTEGRA DI2
DERAILLEUR / DÉRAILLEUR	SHIMANO ULTEGRA DI2 R 8050
BRAKES / FREINS	SHIMANO ULTEGRA DISC HYDRAU
ROTORS / DISQUES	SHIMANO CENTERLOCK RT 800 F : 160 mm R : 140 mm
THRU AXLE / AXES TRAVERSANTS	MAVIC SPEED RELEASE READY 142X12 R / 100X12 F
SEATPOST / TIGE DE SELLE	LOOK LS1 CARBON SUPER LIGHT 27.2 mm 350 mm
SADDLE / SELLE	LOOK BY SAN MARCO SHORT FIT DYNAMIC NARROW OPEN FIT
STEM / POTENCE	LOOK LS1 ALLOY SUPER LIGHT (XS 90 / S 100 / M-L 110 / XL 120)
H-BAR	LOOK LS2 ALLOY (XS-S 40 / M-L 42 / XL 44)
WHEELS / ROUES	VITTORIA ELUSION CARBON Tubeless 30 mm
TIRES / PNEUS	VITTORIA RUBINO IV 700 X 28
WEIGHT / POIDS	7,70 kgs* (SIZE M / WITHOUT PEDALS) * ESTIMATE

BIKE / ROAD / ALTITUDE
SKU | 22851 (FOR M SIZE)

785 HUEZ RS DISC

I SHIMANO ULTEGRA 2X11 DISC | BLACK GREY GLOSSY MAT



MOUNTING / MONTAGE

CRANKSET / PÉDALIER	SHIMANO ULTEGRA R 8000 (XS-S 170 / M-L 172,5 / XL 175)
CHAINRING / PLATEAUX	SHIMANO ULTEGRA R 8000 52 x 36
BB / BOÎTIER DE PÉDALIER	BB PF 86.5 / TOKEN NINJA TF 841
CHAIN / CHAÎNE	SHIMANO ULTEGRA HG 601
CASSETTE / CASSETTE	SHIMANO ULTEGRA R 8000 11x32
SHIFTERS / MANETTES	SHIMANO ULTEGRA
DERAILLEUR / DÉRAILLEUR	SHIMANO ULTEGRA R 8000
BRAKES / FREINS	SHIMANO ULTEGRA DISC HYDRAU
ROTORS / DISQUES	SHIMANO CENTERLOCK RT 800 F : 160 mm R : 140 mm
THRU AXLE / AXES TRAVERSANTS	MAVIC SPEED RELEASE READY 142X12 R / 100X12 F
SEATPOST / TIGE DE SELLE	LOOK LS1 CARBON SUPER LIGHT 27.2 mm 350 mm
SADDLE / SELLE	LOOK BY SAN MARCO SHORT FIT DYNAMIC NARROW OPEN FIT
STEM / POTENCE	LOOK LS1 ALLOY SUPER LIGHT (XS 90 / S 100 / M-L 110 / XL 120)
H-BAR	LOOK LS2 ALLOY (XS-S 40 / M-L 42 / XL 44)
WHEELS / ROUES	SHIMANO RS 370 Tubeless
TIRES / PNEUS	HUTCHINSON FUSION 5 Performance 28
WEIGHT / POIDS	7,89 kgs* (SIZE M / WITHOUT PEDALS) * ESTIMATE

BIKE / ROAD / ALTITUDE
SKU | 22821 (FOR M SIZE)

785 HUEZ RS

I SHIMANO ULTEGRA DI2 2X11 | BLACK RED GLOSSY MAT



MOUNTING / MONTAGE	
CRANKSET / PÉDALIER	SHIMANO ULTEGRA R 8000 (XS-S 170 / M-L 172,5 / XL 175)
CHAINRING / PLATEAUX	SHIMANO ULTEGRA R 8000 52 x 36
BB / BOÎTIER DE PÉDALIER	BB PF 86.5 / TOKEN NINJA TF 841
CHAIN / CHAÎNE	SHIMANO ULTEGRA HG 601
CASSETTE / CASSETTE	SHIMANO ULTEGRA R 8000 11x32
SHIFTERS / MANETTES	SHIMANO ULTEGRA DI2
DERAILLEUR / DÉRAILLEUR	SHIMANO ULTEGRA DI2 R 8050
BRAKES / FREINS	SHIMANO ULTEGRA
ROTORS / DISQUES	-
THRU AXLE / AXES TRAVERSANTS	-
SEATPOST / TIGE DE SELLE	LOOK LS1 CARBON SUPER LIGHT 27.2 mm 350 mm
SADDLE / SELLE	LOOK BY SAN MARCO SHORT FIT DYNAMIC NARROW OPEN FIT
STEM / POTENCE	LOOK LS1 ALLOY SUPER LIGHT (XS 90 / S 100 / M-L 110 / XL 120)
H-BAR	LOOK LS2 ALLOY (XS-S 40 / M-L 42 / XL 44)
WHEELS / ROUES	VITTORIA ELUSION CARBON Tubeless 30 mm
TIRES / PNEUS	VITTORIA RUBINO IV 700 X 25
WEIGHT / POIDS	7,10 kgs* (SIZE M / WITHOUT PEDALS) *ESTIMATE

BIKE / ROAD / ALTITUDE
SKU | 22831 (FOR M SIZE)

785 HUEZ RS

I SHIMANO ULTEGRA 2X11 | BLACK GREY GLOSSY MAT



MOUNTING / MONTAGE	
CRANKSET / PÉDALIER	SHIMANO ULTEGRA R 8000 (XS-S 170 / M-L 172,5 / XL 175)
CHAINRING / PLATEAUX	SHIMANO ULTEGRA R 8000 52 x 36
BB / BOÎTIER DE PÉDALIER	BB PF 86.5 / TOKEN NINJA TF 841
CHAIN / CHAÎNE	SHIMANO ULTEGRA HG 601
CASSETTE / CASSETTE	SHIMANO ULTEGRA R 8000 11x32
SHIFTERS / MANETTES	SHIMANO ULTEGRA
DERAILLEUR / DÉRAILLEUR	SHIMANO ULTEGRA R 8000
BRAKES / FREINS	SHIMANO ULTEGRA
ROTORS / DISQUES	-
THRU AXLE / AXES TRAVERSANTS	-
SEATPOST / TIGE DE SELLE	LOOK LS1 CARBON SUPER LIGHT 27.2 mm 350 mm
SADDLE / SELLE	LOOK BY SAN MARCO SHORT FIT DYNAMIC NARROW OPEN FIT
STEM / POTENCE	LOOK LS1 ALLOY SUPER LIGHT (XS 90 / S 100 / M-L 110 / XL 120)
H-BAR	LOOK LS2 ALLOY (XS-S 40 / M-L 42 / XL 44)
WHEELS / ROUES	MAVIC KSYRIUM BLACK UST
TIRES / PNEUS	MAVIC YKSION ELITE UST 25
WEIGHT / POIDS	7,38 kgs* (SIZE M / WITHOUT PEDALS) *ESTIMATE

BIKE / ROAD / ALTITUDE
SKU | 19513 (FOR M SIZE)

785 HUEZ DISC

I SHIMANO ULTEGRA DI2 2X11 DISC I RED GLOSSY



MOUNTING / MONTAGE

CRANKSET / PÉDALIER	SHIMANO ULTEGRA R 8000
CHAINRING / PLATEAUX	SHIMANO ULTEGRA R 8000 52 x 36
BB / BOÎTIER DE PÉDALIER	BB PF 86.5 / TOKEN NINJA TF 841
CHAIN / CHAÎNE	SHIMANO ULTEGRA HG 601
CASSETTE / CASSETTE	SHIMANO ULTEGRA R 8000 11x28
SHIFTERS / MANETTES	SHIMANO ULTEGRA DI2
DERAILLEUR / DÉRAILLEUR	SHIMANO ULTEGRA DI2 R 8050
BRAKES / FREINS	SHIMANO ULTEGRA DISC HYDRAU
ROTORS / DISQUES	SHIMANO CENTERLOCK RT 800 F : 160 mm R : 140 mm
THRU AXLE / AXES TRAVERSANTS	MAVIC SPEED RELEASE READY 142X12 R / 100X12 F
SEATPOST / TIGE DE SELLE	LOOK LS2 CARBON 27.2 mm 350 mm
SADDLE / SELLE	LOOK BY SAN MARCO SHORT FIT DYNAMIC NARROW OPEN FIT
STEM / POTENCE	LOOK LS1 ALLOY SUPER LIGHT (XS 90 / S 100 / M-L 110 / XL 120)
H-BAR	LOOK LS2 ALLOY (XS-S 40 / M-L 42 / XL 44)
WHEELS / ROUES	AKSIUM ELITE UST DISC (Tubeless)
TIRES / PNEUS	HUTCHINSON FUSION 5 Performance 28
WEIGHT / POIDS	7,90 kgs* (SIZE M / WITHOUT PEDALS) *ESTIMATE

BIKE / ROAD / ALTITUDE
SKU | 22891 (FOR M SIZE)

785 HUEZ DISC

I SHIMANO ULTEGRA 2X11 DISC I PROTEAM WHITE GLOSSY



MOUNTING / MONTAGE

CRANKSET / PÉDALIER	SHIMANO ULTEGRA R 8000 (XS-S 170 / M-L 172,5 / XL 175)
CHAINRING / PLATEAUX	SHIMANO ULTEGRA R 8000 52 x 36
BB / BOÎTIER DE PÉDALIER	BB PF 86.5 / TOKEN NINJA TF 841
CHAIN / CHAÎNE	SHIMANO ULTEGRA HG 601
CASSETTE / CASSETTE	SHIMANO ULTEGRA R 8000 11x32
SHIFTERS / MANETTES	SHIMANO ULTEGRA
DERAILLEUR / DÉRAILLEUR	SHIMANO ULTEGRA R 8000
BRAKES / FREINS	SHIMANO ULTEGRA DISC HYDRAU
ROTORS / DISQUES	SHIMANO CENTERLOCK RT 800 F : 160 mm R : 140 mm
THRU AXLE / AXES TRAVERSANTS	MAVIC SPEED RELEASE READY 142X12 R / 100X12 F
SEATPOST / TIGE DE SELLE	LOOK LS2 CARBON 27.2 mm 350 mm
SADDLE / SELLE	LOOK BY SAN MARCO SHORT FIT DYNAMIC NARROW OPEN FIT
STEM / POTENCE	LOOK LS2 ALLOY (XS 90 / S 100 / M-L 110 / XL 120)
H-BAR	LOOK LS2 ALLOY (XS-S 40 / M-L 42 / XL 44)
WHEELS / ROUES	MAVIC AKSIUM ELITE UST
TIRES / PNEUS	HUTCHINSON FUSION 5 Performance 28
WEIGHT / POIDS	8,12 kgs* (SIZE M / WITHOUT PEDALS) *ESTIMATE

BIKE / ROAD / ALTITUDE
SKU | 23001 (FOR M SIZE)

785 HUEZ DISC

I SHIMANO 105 2X11 DISC I METALLIC BLUE GLOSSY



MOUNTING / MONTAGE

CRANKSET / PÉDALIER	SHIMANO 105 R 7000 (XS-S 170 / M-L 172,5 / XL 175)
CHAINRING / PLATEAUX	SHIMANO 105 R 7000 52 x 36
BB / BOÎTIER DE PÉDALIER	BB PF 86.5 / TOKEN NINJA TF 841
CHAIN / CHAÎNE	SHIMANO 105 HG 601
CASSETTE / CASSETTE	SHIMANO 105 R 7000 11X32
SHIFTERS / MANETTES	SHIMANO 105
DERAILLEUR / DÉRAILLEUR	SHIMANO 105 R 7000
BRAKES / FREINS	SHIMANO 105 DISC HYDRAU
ROTORS / DISQUES	SHIMANO CENTERLOCK RT 70 F : 160 mm R : 140 mm
THRU AXLE / AXES TRAVERSANTS	MAVIC SPEED RELEASE READY 142X12 R / 100X12 F
SEATPOST / TIGE DE SELLE	LOOK LS2 CARBON 27.2 mm 350 mm
SADDLE / SELLE	SAN MARCO MONZA FULL FIT
STEM / POTENCE	LOOK LS2 ALLOY (XS 90 / S 100 / M-L 110 / XL 120)
H-BAR	LOOK LS2 ALLOY (XS-S 40 / M-L 42 / XL 44)
WHEELS / ROUES	SHIMANO RS 171
TIRES / PNEUS	VITTORIA ZAFFIRO SLICK II 25
WEIGHT / POIDS	8,52 kgs* (SIZE M / WITHOUT PEDALS) * ESTIMATE

BIKE / ROAD / ALTITUDE
SKU | 20066 (FOR M SIZE)

785 HUEZ

I SHIMANO ULTEGRA DI2 2X11 I RED GLOSSY



MOUNTING / MONTAGE

CRANKSET / PÉDALIER	SHIMANO ULTEGRA R 8000
CHAINRING / PLATEAUX	SHIMANO ULTEGRA R 8000 52 x 36
BB / BOÎTIER DE PÉDALIER	BB PF 86.5 / TOKEN NINJA TF 841
CHAIN / CHAÎNE	SHIMANO ULTEGRA HG 601
CASSETTE / CASSETTE	SHIMANO ULTEGRA R 8000 11x28
SHIFTERS / MANETTES	SHIMANO ULTEGRA DI2
DERAILLEUR / DÉRAILLEUR	SHIMANO ULTEGRA DI2 R 8050
BRAKES / FREINS	SHIMANO ULTEGRA
ROTORS / DISQUES	-
THRU AXLE / AXES TRAVERSANTS	-
SEATPOST / TIGE DE SELLE	LOOK LS2 CARBON 27.2 mm 350 mm
SADDLE / SELLE	LOOK BY SAN MARCO SHORT FIT DYNAMIC NARROW OPEN FIT
STEM / POTENCE	LOOK LS1 ALLOY SUPER LIGHT (XS 90 / S 100 / M-L 110 / XL 120)
H-BAR	LOOK LS2 ALLOY (XS-S 40 / M-L 42 / XL 44)
WHEELS / ROUES	MAVIC KSYRIUM UST (Tubeless) BLACK
TIRES / PNEUS	HUTCHINSON FUSION 5 Performance 25
WEIGHT / POIDS	7,46 kgs* (SIZE M / WITHOUT PEDALS) * ESTIMATE

BIKE / ROAD / ALTITUDE
SKU | 22871 (FOR M SIZE)

785 HUEZ

I SHIMANO ULTEGRA 2X11 I PROTEAM WHITE GLOSSY



MOUNTING / MONTAGE

CRANKSET / PÉDALIER	SHIMANO ULTEGRA R 8000 (XS-S 170 / M-L 172,5 / XL 175)
CHAINRING / PLATEAUX	SHIMANO ULTEGRA R 8000 52 x 36
BB / BOÎTIER DE PÉDALIER	BB PF 86.5 / TOKEN NINJA TF 841
CHAIN / CHAÎNE	SHIMANO ULTEGRA HG 601
CASSETTE / CASSETTE	SHIMANO ULTEGRA R 8000 11x32
SHIFTERS / MANETTES	SHIMANO ULTEGRA
DERAILLEUR / DÉRAILLEUR	SHIMANO ULTEGRA R 8000
BRAKES / FREINS	SHIMANO ULTEGRA
ROTORS / DISQUES	-
THRU AXLE / AXES TRAVERSANTS	-
SEATPOST / TIGE DE SELLE	LOOK LS2 CARBON 27.2 mm 350 mm
SADDLE / SELLE	LOOK BY SAN MARCO SHORT FIT DYNAMIC NARROW OPEN FIT
STEM / POTENCE	LOOK LS2 ALLOY (XS 90 / S 100 / M-L 110 / XL 120)
H-BAR	LOOK LS2 ALLOY (XS-S 40 / M-L 42 / XL 44)
WHEELS / ROUES	MAVIC AKSIUM ELITE UST
TIRES / PNEUS	VITTORIA ZAFFIRO SLICK II 25
WEIGHT / POIDS	7,66 kgs* (SIZE M / WITHOUT PEDALS) * ESTIMATE

BIKE / ROAD / ALTITUDE
SKU | 22991 (FOR M SIZE)

785 HUEZ

I SHIMANO 105 2X11 I METALLIC BLUE GLOSSY



MOUNTING / MONTAGE

CRANKSET / PÉDALIER	SHIMANO 105 R 7000 (XS-S 170 / M-L 172,5 / XL 175)
CHAINRING / PLATEAUX	SHIMANO 105 R 7000 52 x 36
BB / BOÎTIER DE PÉDALIER	BB PF 86.5 / TOKEN NINJA TF 841
CHAIN / CHAÎNE	SHIMANO 105 HG 601
CASSETTE / CASSETTE	SHIMANO 105 R 7000 11X32
SHIFTERS / MANETTES	SHIMANO 105
DERAILLEUR / DÉRAILLEUR	SHIMANO 105 R 7000
BRAKES / FREINS	SHIMANO 105
ROTORS / DISQUES	-
THRU AXLE / AXES TRAVERSANTS	-
SEATPOST / TIGE DE SELLE	LOOK LS2 CARBON 27.2 mm 350 mm
SADDLE / SELLE	SAN MARCO MONZA FULL FIT
STEM / POTENCE	LOOK LS2 ALLOY (XS 90 / S 100 / M-L 110 / XL 120)
H-BAR	LOOK LS2 ALLOY (XS-S 40 / M-L 42 / XL 44)
WHEELS / ROUES	SHIMANO RS 100
TIRES / PNEUS	VITTORIA ZAFFIRO SLICK II 25
WEIGHT / POIDS	7,99 kgs* (SIZE M / WITHOUT PEDALS) * ESTIMATE

785 HUEZ RS

I FRAMESET I AVAILABLE IN RIM & DISC VERSION
I PROTEAM WHITE GLOSSY
SKU I 23370 (FOR M SIZE & DISC VERSION)



MOUNTING / MONTAGE	
FRAME / CADRE	UD CARBON-FINISH HIGH MODULUS CARBON FRAME. ULTRA LIGHT HIGH MODULUS CARBON FORK. ULTRA LIGHT INTEGRATED HEADSET COMPATIBLE SEAT POST DIAMETER 27.2 MM
BB / BOÎTIER DE PÉDALIER	BB PF 86
THRU AXLE / AXES TRAVERSANTS	SUPPLIED WITH DISC FRAMES ONLY: MAVIC SPEED RELEASE READY THROUGH-AXLE SYSTEM (WITHOUT LEVERS, ADJUSTABLE USING 6 MMALLAN KEYS) (100MM X D12 - M12 X 2 - P1 DOUBLE LEAD THREAD THRU/ 142MM X D12 – M12 X2 –P1 DOUBLE LEAD THREAD THRU)
TIRES / PNEUS	COMPATIBLE WITH TYRES WITH A MAXIMUM SIZE OF 28 MM FOR THE RIM BRAKE VERSION AND 30 MM FOR THE DISC BRAKE VERSION

785 HUEZ RS

I FRAMESET I AVAILABLE IN RIM & DISC VERSION
I BLACK GREY GLOSSY MAT
SKU I 23380 (FOR M SIZE & DISC VERSION)



785 HUEZ RS

I FRAMESET I AVAILABLE IN RIM & DISC VERSION
I BLACK RED GLOSSY MAT
SKU I 23375 (FOR M SIZE & DISC VERSION)





ROAD BIKES **ENDURANCE**

13,4 KG

MADE BY LOOK

DESIGNED AND PRODUCED IN OUR
OWN LOOK MANUFACTURES

MADE BY LOOK

DEVELOPPÉ ET FABRIQUÉ AU SEIN
DE NOS MANUFACTURES LOOK

15%

**MORE FLEXIBLES
DAMPENING : 3D DOUBLE WAVE**

**HAUBANS PLUS FLEXIBLES : 3D
DOUBLE WAVE**

**DIRECT DRIVE INTEGRATED STEM
FOR FLAWLESS CONTROL**

POTENCE INTÉGRÉE POUR UN
CONTROLE PARFAIT

**HIGH MODULUS
CARBON FRAME
AND FORK**

CADRE ET FOURCHE
EN CARBONE
HAUT MODULE

250 W

**BATTERY REPLACEABLE / REMOOVABLE
INTEGRATED MOTOR AND BATTERY**

BATTERIE REMPLAÇABLE / AMOVIBLE
MOTEUR ET BATTERIE INTEGRÉS

DESIGNED FOR PERFORMANCE

SPORTS ENDURANCE GEOMETRY

DÉVELOPPÉ POUR LA PERFORMANCE

GÉOMÉTRIE ENDURANCE SPORTIVE

E-765 OPTIMUM

BIKE / ROAD / E-BIKE
SKU | 20151 (FOR M SIZE)

E-765 OPTIMUM

I SHIMANO ULTEGRA DI2 2X11 I RED GLOSSY



MOUNTING / MONTAGE

CRANKSET / PÉDALIER	FSA CARBON (XS-S 170 mm / M-L-XL 175 mm)
CHAINRING / PLATEAUX	FSA CARBON 50X34
BB / BOÎTIER DE PÉDALIER	FAZUA ISIS AXLE
CHAIN / CHAÎNE	SHIMANO ULTEGRA HG 601
CASSETTE / CASSETTE	SHIMANO ULTEGRA R 8000 11X32
SHIFTERS / MANETTES	SHIMANO ULTEGRA DI2
DERAILLEUR / DÉRAILLEUR	SHIMANO ULTEGRA DI2 R8050
BRAKES / FREINS	SHIMANO ULTEGRA DISC HYDRAU
ROTORS / DISQUES	SHIMANO CENTERLOCK RT 800 F : 160 mm R : 140 mm
THRU AXLES / AXES TRAVERSANTS	MAVIC SPEED RELEASE READY 142X12 R / 100 X 12 F
MOTOR / MOTEUR	FAZUA EVATION
SEATPOST / TIGE DE SELLE	LOOK LS1 CARBON SUPER LIGHT 27.2 mm 350 mm
SADDLE / SELLE	FIZIK ANTARES R7
STEM / POTENCE	LOOK LDS (XS 80 / S 90 / M 100 / L 110 / XL 120)
H-BAR	LOOK LS2 ALLOY (XS-S 40 / M-L 42 / XL 44)
WHEELS / ROUES	VITTORIA ELUSION CARBON 42 mm (Tubeless) (Disc) E REAR HUB
TIRES / PNEUS	HUTCHINSON SECTOR 32 TUBELESS READY
WEIGHT / POIDS	13.44 kg* (SIZE M / WITHOUT PEDALS) * ESTIMATE

BIKE / ROAD / E-BIKE
SKU | 20156 (FOR M SIZE)

E-765 OPTIMUM

I SHIMANO ULTEGRA 2X11 I BLACK GLOSSY



MOUNTING / MONTAGE

CRANKSET / PÉDALIER	FSA CARBON (XS-S 170 mm / M-L-XL 175 mm)
CHAINRING / PLATEAUX	FSA CARBON 50X34
BB / BOÎTIER DE PÉDALIER	FAZUA ISIS AXLE
CHAIN / CHAÎNE	SHIMANO ULTEGRA HG 601
CASSETTE / CASSETTE	SHIMANO ULTEGRA R 8000 11X32
SHIFTERS / MANETTES	SHIMANO ULTEGRA
DERAILLEUR / DÉRAILLEUR	SHIMANO ULTEGRA
BRAKES / FREINS	SHIMANO ULTEGRA DISC HYDRAU
ROTORS / DISQUES	SHIMANO CENTERLOCK RT 800 F : 160 mm R : 140 mm
THRU AXLES / AXES TRAVERSANTS	MAVIC SPEED RELEASE READY 142X12 R / 100 X 12 F
MOTOR / MOTEUR	FAZUA EVATION
SEATPOST / TIGE DE SELLE	LOOK LS2 CARBON 27.2 mm 350 mm
SADDLE / SELLE	FIZIK ANTARES R7
STEM / POTENCE	LOOK LDS (XS 80 / S 90 / M 100 / L 110 / XL 120)
H-BAR	LOOK LS2 ALLOY (XS-S 40 / M-L 42 / XL 44)
WHEELS / ROUES	SHIMANO RS 370 (Tubeless) (Disc)
TIRES / PNEUS	HUTCHINSON SECTOR 32 TUBELESS READY
WEIGHT / POIDS	13.60 kg* (SIZE M / WITHOUT PEDALS) * ESTIMATE

BIKE / ROAD / ENDURANCE
SKU | 22931 (FOR M SIZE)

765 OPTIMUM DISC

I SHIMANO ULTEGRA DI2 2X11 DISC I BLACK GLOSSY MAT



MOUNTING / MONTAGE

CRANKSET / PÉDALIER	SHIMANO ULTEGRA R 8000
CHAINRING / PLATEAUX	SHIMANO ULTEGRA R 8000 50 x 34
BB / BOÎTIER DE PÉDALIER	BB PF 30 / TOKEN NINJA TF 841 -46
CHAIN / CHAÎNE	SHIMANO ULTEGRA HG 601
CASSETTE / CASSETTE	SHIMANO ULTEGRA R 8000 11x28
SHIFTERS / MANETTES	SHIMANO ULTEGRA DI2
DERAILLEUR / DÉRAILLEUR	SHIMANO ULTEGRA DI2 R 8050
BRAKES / FREINS	SHIMANO ULTEGRA DISC HYDRAU
ROTORS / DISQUES	SHIMANO CENTERLOCK RT 800 F : 160 mm R : 140 mm
THRU AXLE / AXES TRAVERSANTS	MF5 142X12 R / 100 X 12 F
SEATPOST / TIGE DE SELLE	LOOK LS2 CARBON 27.2 mm 350 mm
SADDLE / SELLE	LOOK BY SAN MARCO SHORT FIT DYNAMIC NARROW OPEN FIT
STEM / POTENCE	LOOK LS1 ALLOY SUPER LIGHT (XS 90 / S 100 / M-L 110 / XL 120)
H-BAR	LOOK LS2 ALLOY (XS-S 40 / M-L 42 / XL 44)
WHEELS / ROUES	VITTORIA ELUSION CARBON 30 mm (Tubeless)
TIRES / PNEUS	VITTORIA RUBINO IV 28
WEIGHT / POIDS	8,00 kgs* (SIZE M / WITHOUT PEDALS) *ESTIMATE

BIKE / ROAD / ENDURANCE
SKU | 23021 (FOR M SIZE)

765 OPTIMUM DISC

I SHIMANO ULTEGRA 2X11 DISC I PROTEAM WHITE GLOSSY



MOUNTING / MONTAGE

CRANKSET / PÉDALIER	SHIMANO ULTEGRA R 8000 (XS-S 170 / M-L 172,5 / XL 175)
CHAINRING / PLATEAUX	SHIMANO ULTEGRA R 8000 50 x 34
BB / BOÎTIER DE PÉDALIER	BB PF 30 / TOKEN NINJA TF 841 -46
CHAIN / CHAÎNE	SHIMANO ULTEGRA HG 601
CASSETTE / CASSETTE	SHIMANO ULTEGRA R 8000 11x32
SHIFTERS / MANETTES	SHIMANO ULTEGRA
DERAILLEUR / DÉRAILLEUR	SHIMANO ULTEGRA R 8000
BRAKES / FREINS	SHIMANO ULTEGRA DISC HYDRAU
ROTORS / DISQUES	SHIMANO CENTERLOCK RT 800 F : 160 mm R : 140 mm
THRU AXLE / AXES TRAVERSANTS	MF5 142X12 R / 100 X 12 F
SEATPOST / TIGE DE SELLE	LOOK LS2 CARBON 27.2 mm 350 mm
SADDLE / SELLE	LOOK BY SAN MARCO SHORT FIT DYNAMIC NARROW OPEN FIT
STEM / POTENCE	LOOK LS2 ALLOY (XS 90 / S 100 / M-L 110 / XL 120)
H-BAR	LOOK LS2 ALLOY (XS-S 40 / M-L 42 / XL 44)
WHEELS / ROUES	SHIMANO RS 370
TIRES / PNEUS	HUTCHINSON FUSION 5 Performance 28
WEIGHT / POIDS	8,06 kgs* (SIZE M / WITHOUT PEDALS) *ESTIMATE

BIKE / ROAD / ENDURANCE
SKU | 22941 (FOR M SIZE)

765 OPTIMUM DISC

I SHIMANO 105 2X11 DISC I BLACK GLOSSY



MOUNTING / MONTAGE

CRANKSET / PÉDALIER	SHIMANO RS510 (XS-S 170 / M-L 172,5 / XL 175)
CHAINRING / PLATEAUX	SHIMANO RS510 50 x 34
BB / BOÎTIER DE PÉDALIER	BB PF 30 / TOKEN NINJA TF 841 -46
CHAIN / CHAÎNE	SHIMANO 105 HG 601
CASSETTE / CASSETTE	SHIMANO 105 R 7000 11X32
SHIFTERS / MANETTES	SHIMANO 105
DERAILLEUR / DÉRAILLEUR	SHIMANO 105 R 7000
BRAKES / FREINS	SHIMANO 105 DISC HYDRAU
ROTORS / DISQUES	SHIMANO CENTERLOCK RT 70 F : 160 mm R : 140 mm
THRU AXLE / AXES TRAVERSANTS	MF5 142X12 R / 100 X 12 F
SEATPOST / TIGE DE SELLE	LOOK LS2 CARBON 27.2 mm 350 mm
SADDLE / SELLE	SAN MARCO MONZA FULL FIT
STEM / POTENCE	LOOK LS2 ALLOY (XS 90 / S 100 / M-L 110 / XL 120)
H-BAR	LOOK LS2 ALLOY (XS-S 40 / M-L 42 / XL 44)
WHEELS / ROUES	SHIMANO RS 171
TIRES / PNEUS	VITTORIA ZAFFIRO SLICK II 25
WEIGHT / POIDS	9,00 kgs* (SIZE M / WITHOUT PEDALS) *ESTIMATE

BIKE / ROAD / ENDURANCE
SKU | 22911 (FOR M SIZE)

765 OPTIMUM

I SHIMANO ULTEGRA DI2 2X11 I BLACK GLOSSY MAT



MOUNTING / MONTAGE

CRANKSET / PÉDALIER	SHIMANO ULTEGRA R 8000
CHAINRING / PLATEAUX	SHIMANO ULTEGRA R 8000 50 x 34
BB / BOÎTIER DE PÉDALIER	BB PF 30 / TOKEN NINJA TF 841 -46
CHAIN / CHAÎNE	SHIMANO ULTEGRA HG 601
CASSETTE / CASSETTE	SHIMANO ULTEGRA R 8000 11x28
SHIFTERS / MANETTES	SHIMANO ULTEGRA DI2
DERAILLEUR / DÉRAILLEUR	SHIMANO ULTEGRA DI2 R 8050
BRAKES / FREINS	SHIMANO ULTEGRA
ROTORS / DISQUES	-
THRU AXLE / AXES TRAVERSANTS	-
SEATPOST / TIGE DE SELLE	LOOK LS2 CARBON 27.2 mm 350 mm
SADDLE / SELLE	LOOK BY SAN MARCO SHORT FIT DYNAMIC NARROW OPEN FIT
STEM / POTENCE	LOOK LS1 ALLOY SUPER LIGHT (XS 90 / S 100 / M-L 110 / XL 120)
H-BAR	LOOK LS2 ALLOY (XS-S 40 / M-L 42 / XL 44)
WHEELS / ROUES	VITTORIA ELUSION CARBON 30 mm (Tubeless)
TIRES / PNEUS	VITTORIA RUBINO IV 25
WEIGHT / POIDS	7,60 kgs* (SIZE M / WITHOUT PEDALS) *ESTIMATE

BIKE / ROAD / ENDURANCE
SKU | 23011 (FOR M SIZE)

765 OPTIMUM

I SHIMANO ULTEGRA 2X11 I PROTEAM WHITE GLOSSY



MOUNTING / MONTAGE

CRANKSET / PÉDALIER	SHIMANO ULTEGRA R 8000 (XS-S 170 / M-L 172,5 / XL 175)
CHAINRING / PLATEAUX	SHIMANO ULTEGRA R 8000 50 x 34
BB / BOÎTIER DE PÉDALIER	BB PF 30 / TOKEN NINJA TF 841 -46
CHAIN / CHAÎNE	SHIMANO ULTEGRA HG 601
CASSETTE / CASSETTE	SHIMANO ULTEGRA R 8000 11x32
SHIFTERS / MANETTES	SHIMANO ULTEGRA
DERAILLEUR / DÉRAILLEUR	SHIMANO ULTEGRA R 8000
BRAKES / FREINS	SHIMANO ULTEGRA
ROTORS / DISQUES	-
THRU AXLE / AXES TRAVERSANTS	-
SEATPOST / TIGE DE SELLE	LOOK LS2 CARBON 27.2 mm 350 mm
SADDLE / SELLE	LOOK BY SAN MARCO SHORT FIT DYNAMIC NARROW OPEN FIT
STEM / POTENCE	LOOK LS2 ALLOY (XS 90 / S 100 / M-L 110 / XL 120)
H-BAR	LOOK LS2 ALLOY (XS-S 40 / M-L 42 / XL 44)
WHEELS / ROUES	SHIMANO RS 300
TIRES / PNEUS	HUTCHINSON FUSION 5 Performance 25
WEIGHT / POIDS	7,88 kgs* (SIZE M / WITHOUT PEDALS) *ESTIMATE

BIKE / ROAD / ENDURANCE
SKU | 20126 (FOR M SIZE)

765 OPTIMUM

I SHIMANO 105 2X11 I BLACK GLOSSY



MOUNTING / MONTAGE

CRANKSET / PÉDALIER	SHIMANO RS510 (XS-S 170 / M-L 172,5 / XL 175)
CHAINRING / PLATEAUX	SHIMANO RS510 50 x 34
BB / BOÎTIER DE PÉDALIER	BB PF 30 / TOKEN NINJA TF 841 -46
CHAIN / CHAÎNE	SHIMANO 105 HG 601
CASSETTE / CASSETTE	SHIMANO 105 R 7000 11X32
SHIFTERS / MANETTES	SHIMANO 105
DERAILLEUR / DÉRAILLEUR	SHIMANO 105 R 7000
BRAKES / FREINS	SHIMANO 105
ROTORS / DISQUES	-
THRU AXLE / AXES TRAVERSANTS	-
SEATPOST / TIGE DE SELLE	LOOK LS2 CARBON 27.2 mm 350 mm
SADDLE / SELLE	SAN MARCO MONZA FULL FIT
STEM / POTENCE	LOOK LS2 ALLOY (XS 90 / S 100 / M-L 110 / XL 120)
H-BAR	LOOK LS2 ALLOY (XS-S 40 / M-L 42 / XL 44)
WHEELS / ROUES	SHIMANO RS 100
TIRES / PNEUS	VITTORIA ZAFFIRO SLICK II 25
WEIGHT / POIDS	8,36 kgs* (SIZE M / WITHOUT PEDALS) *ESTIMATE

GRAVEL BIKES GUIDE
SEGMENTATION VÉLOS GRAVEL

E-765 GRAVEL





GRAVEL BIKES

13,9 KG

MADE BY LOOK

DESIGNED AND PRODUCED IN OUR
OWN LOOK MANUFACTURES

MADE BY LOOK

DEVELOPPÉ ET FABRIQUÉ AU SEIN
DE NOS MANUFACTURES LOOK

15%

**MORE FLEXIBLE
DAMPENING : 3D DOUBLE WAVE**

**HAUBANS PLUS FLEXIBLE : 3D
DOUBLE WAVE**

**DIRECT DRIVE INTEGRATED STEM
FOR FLAWLESS CONTROL**

**POTENCE INTÉGRÉE POUR UN
CONTROLE PARFAIT**

**HIGH MODULUS
CARBON FRAME
AND FORK**

**CADRE ET FOURCHE
EN CARBONE
HAUT MODULE**

250 W

**BATTERY REPLACEABLE / REMOOVABLE
INTEGRATED MOTOR AND BATTERY**

**BATTERIE REMPLAÇABLE / AMOVIBLE
MOTEUR ET BATTERIE INTEGRÉS**

DESIGNED FOR VERSATILITY

WIDE WHEEL ARCH
BOTTLE CAGE INSERTS FOR ADVENTURE

DÉVELOPPÉ POUR LA VERSATILITÉ

LARGE PASSAGE DE ROUES
PORTE-BIDONS POUR L' AVENTURE

E-765 GRAVEL

BIKE / GRAVEL / E-BIKE
SKU | 20161 (FOR M SIZE)

E-765 GRAVEL

I SRAM FORCE 1X11 I GREEN MAT



MOUNTING / MONTAGE

CRANKSET / PÉDALIER	FSA ALLOY 42T (XS-S 170 mm / M-L -XL 175 mm) BCD 104
BB / BOÎTIER DE PÉDALIER	FAZUA ISIS AXLE
CHAIN / CHAÎNE	SRAM FORCE PC 1130
CASSETTE / CASSETTE	SRAM FORCE PG 1170 11X36
SHIFTERS / MANETTES	SRAM FORCE 1
DERAILLEUR / DÉRAILLEUR	SRAM FORCE 1 MEDIUM CAGE
BRAKES / FREINS	SRAM FORCE 1 DISC HYDRAU FLAT MOUNT
ROTORS / DISQUES	SRAM CENTERLOCK F: 160 mm R : 160 mm
THRU AXLES / AXES TRAVERSANTS	MAVIC SPEED RELEASE READY 142X12 R / 100 X 12 F
MOTOR / MOTEUR	FAZUA EVATION
SEATPOST / TIGE DE SELLE	LOOK LS2 CARBON 27.2 mm 350 mm
SADDLE / SELLE	FIZIK ANTARES R7
STEM / POTENCE	LOOK LDS (XS-S 80 / M 90 / L 100 / XL 110)
H-BAR	LOOK LS2 ALLOY GRAVEL 12° FLARE (XS-S 40 / M-L 42 / XL 44)
WHEELS / ROUES	MAVIC ALL ROAD DISC CL (Tubeless) (Disc)
TIRES / PNEUS	WTB RIDDLER 700 X 40 TUBELESS READY
WEIGHT / POIDS	13.94 kg* (SIZE M / WITHOUT PEDALS) * ESTIMATE

BIKE / GRAVEL / E-BIKE
SKU | 20166 (FOR M SIZE)

E-765 GRAVEL

I SRAM RIVAL 1X11 I GREY MAT



MOUNTING / MONTAGE

CRANKSET / PÉDALIER	FSA ALLOY 42T (XS-S 170 mm / M-L -XL 175 mm) BCD 104
BB / BOÎTIER DE PÉDALIER	FAZUA ISIS AXLE
CHAIN / CHAÎNE	SRAM RIVAL PC 1130
CASSETTE / CASSETTE	SRAM RIVAL PG 1130 11X36
SHIFTERS / MANETTES	SRAM RIVAL 1
DERAILLEUR / DÉRAILLEUR	SRAM RIVAL 1 MEDIUM CAGE
BRAKES / FREINS	SRAM RIVAL 1 DISC HYDRAU FLAT MOUNT
ROTORS / DISQUES	SRAM CENTERLOCK F : 160 mm R : 160 mm
THRU AXLES / AXES TRAVERSANTS	MAVIC SPEED RELEASE READY 142X12 R / 100 X 12 F
MOTOR / MOTEUR	FAZUA EVATION
SEATPOST / TIGE DE SELLE	LOOK LS2 CARBON 27.2 mm 350 mm
SADDLE / SELLE	FIZIK ANTARES R7
STEM / POTENCE	LOOK LDS (XS-S 80 / M 90 / L 100 / XL 110)
H-BAR	LOOK LS2 ALLOY GRAVEL 12° FLARE (XS-S 40 / M-L 42 / XL 44)
WHEELS / ROUES	SHIMANO RS 170 (Disc)
TIRES / PNEUS	WTB RIDDLER 700 X 40 TUBELESS READY
WEIGHT / POIDS	14,14 kg* (SIZE M / WITHOUT PEDALS) * ESTIMATE



DESIGNED FOR PERFORMANCE
SPORTS ENDURANCE GEOMETRY

DÉVELOPPÉ POUR LA PERFORMANCE
GÉOMÉTRIE ENDURANCE SPORTIVE

**HIGH MODULUS
CARBON FRAME
AND FORK**

**CADRE ET FOURCHE
EN CARBONE
HAUT MODULE**

**DIRECT DRIVE INTEGRATED STEM
FOR FLAWLESS CONTROL**

**POTENCE INTÉGRÉE POUR UN
CONTROLE PARFAIT**

15%

**MORE FLEXIBLE
DAMPENING : 3D DOUBLE WAVE**

**HAUBANS PLUS FLEXIBLE :
3D DOUBLE WAVE**

390 g

FORK WEIGHT

POIDS DE LA FOURCHE

1,2 kg

FRAME WEIGHT

POIDS DU CADRE

DESIGNED FOR VERSATILITY

**WIDE WHEEL ARCH
12 BOTTLE CAGE INSERTS FOR ADVENTURE**

DÉVELOPPÉ POUR LA VERSATILITÉ

**LARGE PASSAGE DE ROUES
12 INSERTS PORTE-BIDONS POUR L' AVENTURE**

765 GRAVEL RS

BIKE / GRAVEL
SKU | 20171 (FOR M SIZE)

765 GRAVEL RS

I SRAM FORCE 1X11 I GREEN MAT



MOUNTING / MONTAGE

CRANKSET / PÉDALIER	FORCE 1X CARBON 42T (XS-S 170 mm / M-L 172,5 mm / XL 175 mm)
BB / BOÎTIER DE PÉDALIER	BB 386 / TOKEN NINJA SRAM GXP
CHAIN / CHAÎNE	SRAM PC 1130
CASSETTE / CASSETTE	SRAM PG 1170 11X36
SHIFTERS / MANETTES	SRAM FORCE 1
DERAILLEUR / DÉRAILLEUR	SRAM FORCE 1 MEDIUM CAGE
BRAKES / FREINS	SRAM FORCE 1 DISC HYDRAU FLAT MOUNT
ROTORS / DISQUES	SRAM CENTERLOCK F: 160 mm R : 160 mm
THRU AXLE / AXES TRAVERSANTS	MAVIC SPEED RELEASE READY 142X12 R / 100 X 12 F
SEATPOST / TIGE DE SELLE	LOOK LS2 CARBON 27.2 mm x 350 mm
SADDLE / SELLE	LOOK BY SAN MARCO SHORT FIT DYNAMIC NARROW OPEN FIT
STEM / POTENCE	LOOK LDS (XS-S 80 / M 90 / L 100 / XL 110)
H-BAR	LOOK ALLOY LS2 GRAVEL 12° FLARE (XS-S 40 / M-L 42 / XL 44)
WHEELS / ROUES	MAVIC ALL ROAD DISC CL TUBELESS (Tubeless) (Disc)
TIRES / PNEUS	VITTORIA TERRENO DRY 700 X 40 TUBELESS READY
WEIGHT / POIDS	8,84 kgs* (SIZE M / WITHOUT PEDALS) * ESTIMATE

BIKE / GRAVEL
SKU | 22951 (FOR M SIZE)


765 GRAVEL RS

I SHIMANO GRX 810 2X11 I BLACK RED GLOSSY



MOUNTING / MONTAGE

CRANKSET / PÉDALIER	SHIMANO GRX 810 48X31 (XS-S 170 mm / M-L 172,5 mm / XL 175 mm)
BB / BOÎTIER DE PÉDALIER	BB 386 / TOKEN NINJA TF 38624
CHAIN / CHAÎNE	SHIMANO HG 701
CASSETTE / CASSETTE	SHIMANO HG 800 11X34
SHIFTERS / MANETTES	SHIMANO GRX 810
DERAILLEUR / DÉRAILLEUR	SHIMANO GRX 810
BRAKES / FREINS	SHIMANO RX 810 DISC HYDRAU FLAT MOUNT
ROTORS / DISQUES	SHIMANO MT 800 F: 160 mm R : 140 mm
THRU AXLE / AXES TRAVERSANTS	MAVIC SPEED RELEASE READY 142X12 R / 100 X 12 F
SEATPOST / TIGE DE SELLE	LOOK LS2 CARBON 27.2 mm x 350 mm
SADDLE / SELLE	LOOK BY SAN MARCO SHORT FIT DYNAMIC NARROW OPEN FIT
STEM / POTENCE	LOOK LDS (XS-S 80 / M 90 / L 100 / XL 110)
H-BAR	LOOK ALLOY LS2 GRAVEL 12° FLARE (XS-S 40 / M-L 42 / XL 44)
WHEELS / ROUES	SHIMANO RX 570 DISC CL (Tubeless)
TIRES / PNEUS	VITTORIA TERRENO DRY 700 X 40 TUBELESS READY
WEIGHT / POIDS	8,98 kgs* (SIZE M / WITHOUT PEDALS) * ESTIMATE



TRACK BIKES

BIKE / TRACK
SKU | 16957 (FOR M SIZE)

875 MADISON RS
I TRACK I YELLOW GLOSSY



MOUNTING / MONTAGE

CRANKSET / PÉDALIER	VISION 1 X 50 t, 170 mm
FIX GEAR / PIGNON FIXE	15T / 16T (REVERSIBLE WHEEL)
CHAIN / CHAÎNE	KMC K710, 1/2" x 1/8"
SEATPOST / TIGE DE SELLE	LOOK LS2 carbon 31,6 mm x 350 m
SADDLE / SELLE	SAN MARCO MONZA
STEM / POTENCE	LOOK ALLOY LS2 +/- 7°
H-BAR	LOOK ALLOY LS2 COMPACT
WHEELS / ROUES	TRACK BLACK reversible
TIRES / PNEUS	VITTORIA ZAFFIRO SLICK II RIGID 700X23
WEIGHT / POIDS	7.19 kg* (SIZE M / WITHOUT PEDALS) *ESTIMATE

BIKE / TRACK
SKU | 20186 (FOR M SIZE)

AL 464 P
I TRACK I BLACK YELLOW GLOSSY



MOUNTING / MONTAGE

CRANKSET / PÉDALIER	VISION 1 X 50 t, 170 mm
FIX GEAR / PIGNON FIXE	15T / 16T (REVERSIBLE WHEEL)
CHAIN / CHAÎNE	KMC K710, 1/2" x 1/8"
SEATPOST / TIGE DE SELLE	LOOK LS2 carbon 31,6 mm x 350 m
SADDLE / SELLE	SAN MARCO MONZA
STEM / POTENCE	LOOK ALLOY LS2 +/- 7°
H-BAR	LOOK ALLOY LS2 COMPACT
WHEELS / ROUES	TRACK BLACK reversible
TIRES / PNEUS	VITTORIA ZAFFIRO SLICK II RIGID 700X23
WEIGHT / POIDS	7,88 kg* (SIZE M / WITHOUT PEDALS) *ESTIMATE

R96 SPEED EVO

I FRAMESET I AVAILABLE IN ZED T1 & ZED T2 VERSION
I PROTEAM BLACK GLOSSY

SKU I 22571 (FOR M SIZE & ZED T1 VERSION)



MOUNTING / MONTAGE

FRAME / CADRE	VERY HIGH MODULUS CARBON 3K FINISH
CRANKSET / PÉDALIER	LOOK ZED TRACK (WITHOUT PLATES) T1 165/167.5/170MM OR T2 172.5/175/177.5MM
BB / BOÎTIER DE PÉDALIER	BB 65 LOOK SPECIFIC
SEATPOST / TIGE DE SELLE	LOOK R96 SEATMAST
STEM / POTENCE	LOOK TRACK CARBON STEM AVAILABLE LENGTHS: FROM 55 TO 140MM, IN 5 MM INTERVALS
H-BAR	CARBON AERO BAR TRACK

R96 TT EVO

I FRAMESET I AVAILABLE IN ZED T1 & ZED T2 VERSION
I PROTEAM BLACK GLOSSY

SKU I 23560 (FOR M SIZE & ZED T1 VERSION)



MOUNTING / MONTAGE

FRAME / CADRE	VERY HIGH MODULUS CARBON 3K FINISH
CRANKSET / PÉDALIER	LOOK ZED TRACK (WITHOUT PLATES) T1 165/167.5/170MM OR T2 172.5/175/177.5MM
BB / BOÎTIER DE PÉDALIER	BB 65 LOOK SPECIFIC
SEATPOST / TIGE DE SELLE	LOOK R96 SEATMAST
STEM / POTENCE	LOOK TRACK CARBON STEM AVAILABLE LENGTHS: FROM 55 TO 140MM, IN 5 MM INTERVALS
H-BAR	TIME TRIAL HANDLEBAR AEROFLATBAR 31.8 TRACK 400MM REVERSIBLE + AERGO EXTENSIONS

AL 464 P

I BLACK YELLOW GLOSSY

SKU I 20680 (FOR M SIZE)

AL 464 F

I WITH BRAKE HOLES

I BLACK YELLOW GLOSSY

SKU I 20684 (FOR M SIZE)



875 MADISON RS

I YELLOW GLOSSY

SKU I 23223 (FOR M SIZE)



875 MADISON RS

I WITH BRAKE HOLES

I TEAM LOOK CRIT LIMITED EDITION

SKU I 23385 (FOR M SIZE)



MOUNTING / MONTAGE

FRAME / CADRE	HIGH-END ALUMINIUM FRAME INTEGRATED HEADSET COMPATIBLE SEAT POST DIAMETER 31.6 MM
FORK / FOURCHE	HIGH MODULUS CARBON FORK
BB / BOÎTIER DE PÉDALIER	BSA 68 MM
TIRES / PNEUS	COMPATIBLE WITH TYRES WITH A MAXIMUM SIZE OF 25 MM

MOUNTING / MONTAGE

FRAME / CADRE	UD CARBON-FINISH HIGH MODULUS CARBON FRAME INTEGRATED HEADSET COMPATIBLE SEAT POST DIAMETER 31.6 MM
FORK / FOURCHE	HIGH MODULUS CARBON FORK
BB / BOÎTIER DE PÉDALIER	BSA 68 MM
TIRES / PNEUS	COMPATIBLE WITH TYRES WITH A MAXIMUM SIZE OF 25 MM

CRANKSET

ZED 3

CARBON TYPE / ENTRAXES	VHR (VERY HIGH RESISTANCE)
CONSTRUCTION TYPE	MONOBLOC
CRANKARM LENGTHS / LONGUEUR MANIVELLES	SIZE 1: 155 / 157.5 / 160 mm SIZE 2: 162.5 / 165 / 167.5 mm SIZE 3: 170 / 172.5 / 175 mm
COMPATIBILITY / COMPATIBILITE	110 & 130 mm BOLT PATTERNS / ENTRAXES
BEARINGS / ROULEMENTS	STAINLESS STEEL DIAM 65 X 50 X 7 mm
WEIGHT / POIDS	360 g
ACCESSORY / ACCESSOIRE	CHAINRING BOLTS AND TRIBLOBE MOUNT BRACKET TOOL INCLUDED



SKU | 11665
(FOR SIZE 1)

ZED 2

CARBON TYPE / ENTRAXES	VHR (VERY HIGH RESISTANCE)
CONSTRUCTION TYPE	MONOBLOC
CRANKARM LENGTHS / LONGUEUR MANIVELLES	170 mm / 172,5 mm / 175 mm
COMPATIBILITY / COMPATIBILITE	110 & 130 mm BOLT PATTERNS / ENTRAXES
BEARINGS / ROULEMENTS	STAINLESS STEEL DIAM 65 X 50 X 7 mm
WEIGHT / POIDS	320 g
ACCESSORY / ACCESSOIRE	CHAINRING BOLTS AND TRIBLOBE MOUNT BRACKET TOOL INCLUDED




SKU | 6038

CRANKSET

CHAINRINGS

STRUCTURE	CNC MACHINED ALUMINIUM
CHAINRINGS OPTIONS / OPTIONS DES CHAINES	ZED 2 CHAINRING 50 (BCD 110) FOR 34 ZED 2 CHAINRING 50 (BCD 110) FOR 36 ZED 2 CHAINRING 52 (BCD 110) FOR 36 ZED 2 CHAINRING 52 (BCD 130) FOR 39 ZED 2 CHAINRING 53 (BCD 130) FOR 39 ZED 2 CHAINRING 34 (BCD 110) ZED 2 CHAINRING 36 (BCD 110) ZED 2 CHAINRING 39 FOR 53 (BCD 130) ZED 2 CHAINRING 39 FOR 52 (BCD 130) ZED 3 CHAINRING 50 (110) FOR 34 ZED 3 CHAINRING 50 (110) FOR 36 ZED 3 CHAINRING 52 (110) FOR 36 ZED 3 CHAINRING 52 (130) FOR 39 ZED 3 CHAINRING 53 (130) FOR 39 ZED 3 CHAINRING 34 (110) FOR 50 ZED 3 CHAINRING 36 (110) FOR 50 AND 52 ZED 3 CHAINRING 39 (130) FOR 52 AND 53 ZED 3 CHAINRING 42 (130) FOR 54 ZED 3 CHAINRING 44 (130) FOR 55 ZED 3 CHAINRING 46 (130) FOR 56 ZED 3 CHAINRING 54 (130) FOR 42 ZED 3 CHAINRING 55 (130) FOR 44 ZED 3 CHAINRING 56 (130) FOR 46



ADAPTERS

SHIMANO 86.5 BB ROAD ADAPTER KIT FOR 695 ZR REF 10936 :

ALLOWS FITTING A SHIMANO 86.5 mm WIDE PRESS FIT BOTTOM BRACKET FOR SHIMANO CRANKSET WITH 24 mm AXLE.

PF 30, 68 MM AFM ROAD ADAPTER KIT REF 9484:

ALLOWS FITTING A 68 mm WIDE PRESS FIT BOTTOM BRACKET WITH 30 mm DIAMETER BEARINGS FOR CRANKSET WITH THE SAME DIAMETER AXLE.

PF BB 92 AFM MTB ADAPTER KIT REF 9483:

ALLOWS A SHIMANO 92 mm WIDE PRESS FIT BOTTOM BRACKET FOR CRANKSET WITH 24 mm AXLE.

PF 30, 73 MM AFM MTB ADAPTER KIT. REF 9485:

ALLOWS FITTING A 73 mm WIDE PRESS FIT BOTTOM BRACKET WITH 30 mm DIAMETER BEARINGS FOR CRANKSET WITH THE SAME DIAMETER AXLE.

KIT ADAPTATEUR ROUTE SHIMANO BB 86,5 POUR 695 ZR REF 10936 :

PERMET DE MONTER UN BOITIER PRESS FIT SHIMANO 86,5 mm DE LARGE POUR PÉDALIER SHIMANO AVEC AXE DE 24 mm.

KIT ADAPTATEUR ROUTE PF 30, 68 MM AFM REF 9484 :

PERMET DE MONTER UN BOITIER PRESS FIT AVEC DES ROULEMENTS DE 30 mm DE DIAMÈTRE POUR PÉDALIER AVEC AXE DE MÊME DIAMÈTRE ET LE LARGEUR 68 mm

KIT ADAPTATEUR VTT PF BB 92 AFM REF 9483:

PERMET DE MONTER UN BOITIER PRESS FIT SHIMANO DE 92 mm DE LARGEUR POUR PÉDALIER AXE DE 24 mm.

KIT ADAPTATEUR VTT PF 30, 73 MM AFM. REF 9485 :

PERMET DE MONTER UN BOITIER PRESS FIT AVEC DES ROULEMENTS DE 30 mm DE DIAMÈTRE POUR PÉDALIER AVEC AXE DE MÊME DIAMÈTRE ET LE LARGEUR 73 mm



BOTTOM BRACKET

BOTTOM BRACKET

NINJA BB FOR BB386 (46*86.5MM)
FOR 30 MM, 24 MM AND GXP CRANKS

PREMIUM BEARINGS W/PRO TOOL FOR 795 BLADE



SKU | 22409

NINJA BB FOR BB386 (46*86.5MM)
FOR 29 MM DUB CRANKS

PREMIUM BEARINGS W/PRO TOOL FOR 795 BLADE



SKU | 22410

NINJA BB FOR BB386 (46*86.5MM)
FOR 30 MM CAMPY ULTRA TORQUE CRANKS

PREMIUM BEARINGS W/PRO TOOL FOR 795 BLADE



SKU | 22411

NINJA BB FOR BB PF 30 (46*68MM) AND BB 86.5 (41*86,5 MM)
FOR 24 MM CRANKS AND GXP CRANKS

PREMIUM BEARINGS W/PRO TOOL FOR 765 AND 785



SKU | 22412

SEATPOST

LS1 SEATPOST

STRUCTURE / STRUCTURE	HM (HIGH MODULUS CARBON)
CONSTRUCTION TYPE	FULL CARBON MONOBLOC
SIZE / TAILLE	27,2 mm X 350 mm
WEIGHT / POIDS	175 g



SKU | 17798
(FOR BLACK SILVER
VERSION)

LS2 SEATPOST

STRUCTURE / STRUCTURE	HR CARBON / HIGH RESISTANCE
CONSTRUCTION TYPE	CARBON TUBE / ALLOY HEAD
SIZE / TAILLE	27,2 mm X 350 mm
WEIGHT / POIDS	280 g



SKU | 17800
(FOR BLACK SILVER
VERSION)

AERO POST TUBE

STRUCTURE / STRUCTURE	CARBON SEAT POST TUBE FOR REPLACEMENT ON 796
CONSTRUCTION TYPE	MONOBLOC
HEIGHT / HAUTEUR	236 mm



SKU | 19306

AERO STEM

STRUCTURE / STRUCTURE	HOLLOWED HM CARBON AND HIDDEN STAINLESS STEEL CLAMP SCREWS
LENGTHS AVAILABLE / LONGUEURS DISPONIBLES	80 mm - 90 mm- 100 mm 110 mm -120 mm -130 mm



SKU | 5985
(FOR 100 mm
SIZE)

AERO FLAT STEM

STRUCTURE / STRUCTURE	DEDICATED STEM FOR 796. LOWER PART IN STEEL AND UPPER PART IN ALLOY INTEGRATED CABLES
LENGTHS AVAILABLE / LONGUEURS DISPONIBLES	85 mm - 110 mm



SKU | 9322
(FOR 110 mm
SIZE)

AERO DESIGN STEM

STRUCTURE / STRUCTURE	ALUMINIUM STEM
CONSTRUCTION TYPE	AL 6061 T6 AERO 2D FORGED TORX SCREWS
LENGTHS AVAILABLE / LONGUEURS DISPONIBLES	-10°, 80 MM I -10°, 90 MM I -10°, 100 MM, -10°, 110 MM I -10°, 120 MM I -10°, 130 MM
WEIGHT / POIDS	202 g FOR 100 mm
ONLY AVAILABLE WITH 795 BLADE RS	



SKU | 21575
(FOR 100 mm
SIZE)

LS1 STEM

STRUCTURE / STRUCTURE	ALLOY SUPER LIGHT STEM
CONSTRUCTION TYPE	3D FORGED 7050 T6
LENGTH / LONGUEUR	-7°, 90 mm I -7°, 100 mm -7°, 110 mm I -7°, 120 mm
WEIGHT / POIDS	115 g FOR 100 mm



SKU | 22051
(FOR BLACK
SILVER VERSION
& 100 mm SIZE)

LS2 STEM

STRUCTURE / STRUCTURE	ALLOY STEM
CONSTRUCTION TYPE	3D FORGED 6061
LENGTH / LONGUEUR	-7°, 90 mm I -7°, 100 mm -7°, 110 mm I -7°, 120 mm
WEIGHT / POIDS	135 g FOR 100 mm



SKU | 22059
(FOR BLACK
SILVER VERSION
& 100 mm SIZE)

LOOK DESIGN STEM

STRUCTURE / STRUCTURE	ALUMINIUM STEM
CONSTRUCTION TYPE	AL 6061 T6 3D FORGED & MACHINED, TORX SCREWS
LENGTHS AVAILABLE / LONGUEURS DISPONIBLES	-7°, 80 MM I -7°, 90 MM I -7°, 100 MM, -7°, 110 MM I -7°, 120 MM I -7°, 130 MM
WEIGHT / POIDS	210 g FOR 100 mm



SKU | 22046
(FOR 100 mm
SIZE)

HANDLEBAR

AERO DESIGN HANDLEBAR 2

STRUCTURE / STRUCTURE	HM CARBON
SIZES / TAILLES	38 / 40 / 42 / 44 cm (CENTRE TO CENTRE)
REACH / REACH	75 mm
DROP / DROP	120 mm
STARTER DIAMETER / DIAMETRE DES STARTERS	24 mm
STEM DIAMETER / DIAMETRE DE POTENCE	31,8 mm
COLOURS / COLORIS	BLACK – GLOSS / MAT FINISH
WEIGHT / POIDS	250 g IN SIZE 42
WARRANTY / GARANTIE	1 YEAR



SKU | 16751
(FOR SIZE 40)

HANDLEBAR

AERO FLAT BAR

STRUCTURE / STRUCTURE	CARBON
SIZES / TAILLES	400 mm (CENTRE TO CENTRE)
DROP / DROP	+/- 25 MM REVERSIBLE
STARTER DIAMETER / DIAMETRE DES STARTERS	25 mm
STEM DIAMETER / DIAMETRE DE POTENCE	FLAT SPECIFIC FOR AEROFLAT STEM
WEIGHT / POIDS	158 g
WARRANTY / GARANTIE	1 YEAR



SKU | 15464
(FOR Ø 31.8 TRACK
400mm VERSION)

AERO BAR TRACK

STRUCTURE / STRUCTURE	CARBON
SIZES / TAILLES	350 / 370 / 400 mm (CENTRE TO CENTRE)
REACH / REACH	83 mm
DROP / DROP	117 mm
STARTER DIAMETER / DIAMETRE DES STARTERS	27 mm
STEM DIAMETER / DIAMETRE DE POTENCE	31,8 mm
WEIGHT / POIDS	350 mm = 325 g, 370 mm = 355 g, 400 mm = 375 g
WARRANTY / GARANTIE	1 YEAR



SKU | 10619
(FOR SIZE 40)

AERO FLAT BAR + AERGO EXTENSIONS

AVAILABILITY / DISPONIBILITÉ	AEROFLAT BAR LOOK 796 SPECIFIC AEROFLAT BAR Ø 31.8 TRACK (WITHOUT ROUTING) AEROFLAT BAR Ø 31.8 ROAD (WITH ROUTING)
STRUCTURE / STRUCTURE	3K CARBON GLOSSY FINISH
AERO FLAT BAR DROP / DROP AERO FLAT BAR	796 BAR +/-25 MM REVERSIBLE 31.8 BAR +/-7 MM REVERSIBLE
AERGO ADJUSTMENTS / RÉGLAGES AERGO	ARMREST STACK ARMREST REACH ARMREST WIDTH ARMREST TILT ANGLE HANDLES ANGLE
CABLES ROUTING / PASSAGE DES CÂBLES	INTERNAL
WEIGHT / POIDS	FULL SET FROM 730 g
WARRANTY / GARANTIE	1 YEAR



SKU | 22567
(FOR Ø 31.8 TRACK VERSION)

HANDLEBAR

LS1 HANDLEBAR

STRUCTURE / STRUCTURE	HM CARBON
SIZES / TAILLES	40 / 42 / 44 cm (CENTRE TO CENTRE)
REACH / REACH	78 mm
DROP / DROP	125 mm
BEND / COURBURE	3°
STARTER DIAMETER / DIAMETRE DES STARTERS	24 mm
STEM DIAMETER / DIAMETRE DE POTENCE	31,8 mm
COLOURS / COLORIS	BLACK – MAT FINISH
WEIGHT / POIDS	220 g IN SIZE 42
WARRANTY / GARANTIE	1 YEAR



SKU | 17776
(FOR SIZE 40)

LS2 HANDLEBAR

STRUCTURE / STRUCTURE	ALLOY
SIZES / TAILLES	40 / 42 / 44 cm (CENTRE TO CENTRE)
REACH / REACH	70 mm
DROP / DROP	125 mm
STARTER DIAMETER / DIAMETRE DES STARTERS	24 mm
STEM DIAMETER / DIAMETRE DE POTENCE	31,8 mm
COLOURS / COLORIS	BLACK – MAT FINISH
WEIGHT / POIDS	310 g IN SIZE 42
WARRANTY / GARANTIE	1 YEAR



SKU | 17779
(FOR SIZE 40)

OTHER

BOTTLE CAGE

STRUCTURE / STRUCTURE	SUPER LIGHT CARBON
COLOURS / COLORIS	GLOSS OR MATT CARBONE / WHITE
WEIGHT / POIDS	22 g
ACCESSORIES / ACCESSOIRES	2 WATER BOTTLE CAGE MOUNT BOLTS



SKU | 17679
(FOR BLACK SILVER
MAT COLOR)

BOTTLE

COLOURS / COLORIS	RIDE YOUR DREAM BLACK
CAPACITY / CONTENANCE	650 ml



SKU | 22432

GRIP

STRUCTURE / STRUCTURE	EVA DEFORMABLE MATERIAL
COLOURS / COLORIS	WHITE OR BLACK



SKU | ACRT/0276295
(FOR BLACK COLOR)


MINITOOL


WEIGHT / POIDS	65 g
ACCESSORIES / ACCESSOIRES	T25 TORX KEY FLAT SCREWDRIVER DIAM. 5 MM PH1 CROSSHEAD SCREWDRIVER ALLEN KEYS: 2, 3, 4, 5, 6 AND 8 mm (ADAPTER)



SKU | 12281

GEO ME TRY





796 GEOMETRY WHEELS DIAMETER IN MM : 676

	Stack	Reach	I	J	A	B	C	D	F	G	K	L	HAV	Standover
	(mm)	(mm)	(°)	(°)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)
XS - S	488,0	382,0	72,0	76,5	570,0	498,0	570,0	61,5	46,0	405,0	77,7	371,5	75,0	781,0
S - M	409,0	522,5	72,0	76,5	606,0	533,0	608,0	61,5	46,0	405,0	114,0	371,5	75,0	815,5
L - XL	557,0	436,0	72,0	76,5	641,0	568,0	646,0	61,5	46,0	405,0	150,3	371,5	75,0	850,0

795 LIGHT RS GEOMETRY WHEELS DIAMETER IN MM : 676

	Stack	Reach	I	J	A	B	C	D	F	G	K	L	HAV	Standover
	(mm)	(mm)	(°)	(°)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)
XS	510	365	71,8	74	680	512,9	567,7	58,5	50	405	116,9	368,0	65	725,5
S	534	375	71,8	74	705	530,0	585,5	58,5	50	405	142,1	368,0	65	751,0
M	558	385	73,0	73	750	555,7	584,4	58,4	43	405	161,0	368,0	65	768,0
L	582	395	73,0	73	775	572,9	601,5	58,4	43	405	184,7	368,0	65	799,5
XL	606	405	73,0	73	795	590,3	618,8	58,4	43	405	210,9	368,0	65	821,7

795 BLADE RS GEOMETRY WHEELS DIAMETER IN MM : 680

	Stack	Reach	I	J	A	B	C	D	F	G	K	L	HAV	Standover
	(mm)	(mm)	(°)	(°)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)
XS	505	367	71,8	75,8	445,0	494,1	567,7	59,2	50	405	111,9	368,0	65	745
S	529	377	71,8	75,8	469,7	510,1	585,5	59,2	50	405	137,1	368,0	65	668
M	553	386	73,0	75,8	494,4	526,2	584,3	59,0	43	405	155,7	368,0	65	793
L	578	396	73,0	75,8	519,2	545,0	601,5	59,0	43	405	180,8	368,0	65	818
XL	601	406	73,0	75,8	544,0	558,3	618,8	59,0	43	405	205,9	368,0	65	841

795 BLADE RS DISC GEOMETRY WHEELS DIAMETER IN MM : 686

	Stack	Reach	I	J	A	B	C	D	F	G	K	L	HAV	Standover
	(mm)	(mm)	(°)	(°)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)
XS	505	367	71,8	75,8	445,0	494,1	567,7	60,1	50	415	111,9	368,0	65	748
S	529	377	71,8	75,8	469,7	510,1	585,5	60,1	50	415	137,1	368,0	65	771
M	553	386	73,0	75,8	494,4	526,2	584,3	59,9	43	415	155,7	368,0	65	796
L	578	396	73,0	75,8	519,2	545,0	601,5	59,9	43	415	180,8	368,0	65	821
XL	601	406	73,0	75,8	544,0	558,3	618,8	59,9	43	415	205,9	368,0	65	844

785 GEOMETRY WHEELS DIAMETER IN MM : 676

	Stack	Reach	I	J	A	B	C	D	F	G	K	L	HAV
	(mm)	(mm)	(°)	(°)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)
XS	510,0	365,0	71,8	74,0	480,0	511,2	567,6	58,5	50,0	405,0	116,9	368,0	65,0
S	534,0	375,0	71,8	74,0	504,0	528,1	585,4	58,5	50,0	405,0	142,1	368,0	65,0
M	558,0	385,0	73,0	73,0	530,0	555,7	584,3	58,4	43,0	405,0	161,0	368,0	65,0
L	582,0	395,0	73,0	73,0	554,0	572,9	601,5	58,4	43,0	405,0	184,7	368,0	65,0
XL	606,0	405,0	73,0	73,0	579,0	590,3	618,9	58,4	43,0	405,0	210,9	368,0	65,0

765 GEOMETRY WHEELS DIAMETER IN MM : 676

	Stack	Reach	I	J	A	B	C	D	F	G	K	L	HAV
	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)
XS	530,0	355,0	70,8	74,0	470,0	507,0	572,9	64,8	50,0	410,0	138,6	368,0	68,0
S	554,0	365,0	70,8	74,0	490,0	523,9	591,1	64,8	50,0	410,0	164,0	368,0	68,0
M	578,0	375,0	72,0	73,0	510,0	551,7	589,9	64,6	43,0	410,0	182,2	368,0	68,0
L	602,0	385,0	72,0	73,0	535,0	569,1	607,1	64,6	43,0	410,0	206,3	368,0	68,0
XL	626,0	395,0	72,0	73,0	560,0	586,4	625,2	64,6	43,0	410,0	232,7	368,0	68,0

E-765 OPTIMUM DISC GEOMETRY WHEELS DIAMETER IN MM : 690

	Stack	Reach	I	J	A	B	C	D	F	G	K	L	HAV
	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)
XS	530,0	355,0	70,3	74,0	470,0	507,0	577,0	70,0	50,0	415,0	111,5	395,0	70,0
S	554,0	365,0	70,3	74,0	490,0	524,0	595,5	70,0	50,0	415,0	137,0	395,0	70,0
M	578,0	375,0	70,3	73,0	510,0	552,0	614,0	70,0	50,0	415,0	162,5	395,0	70,0
L	602,0	385,0	70,3	73,0	535,0	569,0	632,5	70,0	50,0	415,0	188,0	395,0	70,0
XL	626,0	395,0	70,3	73,0	560,0	586,5	651,0	70,0	50,0	415,0	213,5	395,0	70,0

765 GRAVEL GEOMETRY WHEELS DIAMETER IN MM : 700

	Stack	Reach	I	J	A	B	C	D	F	G	K	L	HAV
	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)
XS	530,0	355,0	70,3	74,0	470,0	507,0	577,0	72,0	50,0	420,0	111,5	395,0	70,0
S	554,0	365,0	70,3	74,0	490,0	524,0	595,5	72,0	50,0	420,0	137,0	395,0	70,0
M	578,0	375,0	70,3	73,0	510,0	552,0	614,0	72,0	50,0	420,0	162,5	395,0	70,0
L	602,0	385,0	70,3	73,0	535,0	569,0	632,5	72,0	50,0	420,0	188,0	395,0	70,0
XL	626,0	395,0	70,3	73,0	560,0	586,5	651,0	72,0	50,0	420,0	213,5	395,0	70,0

E-765 GRAVEL GEOMETRY WHEELS DIAMETER IN MM : 700

	Stack	Reach	I	J	A	B	C	D	F	G	K	L	HAV
	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)
XS	530,0	355,0	70,3	74,0	470,0	507,0	577,0	72,0	50,0	420,0	111,5	395,0	70,0
S	554,0	365,0	70,3	74,0	490,0	524,0	595,5	72,0	50,0	420,0	137,0	395,0	70,0
M	578,0	375,0	70,3	73,0	510,0	552,0	614,0	72,0	50,0	420,0	162,5	395,0	70,0
L	602,0	385,0	70,3	73,0	535,0	569,0	632,5	72,0	50,0	420,0	188,0	395,0	70,0
XL	626,0	395,0	70,3	73,0	560,0	586,5	651,0	72,0	50,0	420,0	213,5	395,0	70,0


ALTITUDE
I GEOMETRY

ENDURANCE
I GEOMETRY

E-BIKE
I GEOMETRY

GRAVEL
I GEOMETRY

E-BIKE
I GEOMETRY



R96 EVO GEOMETRY WHEELS DIAMETER IN MM : 676

	Stack	Reach	I	J	A	B	C	D	F	G	K	L	HAV	Standover
	(mm)	(mm)	(°)	(°)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)
XS	486,0	359,0	72,5	74,5	515,0	493,7	544,0	61,5	43,0	380,0	89,5	379,5	50,0	746,0
S	503,0	393,0	72,5	74,5	515,0	532,5	583,2	61,5	43,0	380,0	107,3	379,5	50,0	758,0
M	520,0	427,0	72,5	74,5	545,0	571,2	622,1	61,5	43,0	380,0	125,1	379,5	50,0	799,0
L	537,0	461,0	72,5	74,5	575,0	609,9	650,6	70,9	34,0	380,0	142,9	379,5	50,0	828,0

875 MADISON GEOMETRY WHEELS DIAMETER IN MM : 678

	Stack	Reach	I	J	A	B	C	D	F	G	K	L	HAV	Standover
	(mm)	(mm)	(°)	(°)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)
XS	480,0	360,0	73,0	73,5	500,0	502,0	539,0	59,0	43,0	380,0	95,0	368,0	50,0	745,0
S	495,0	385,0	73,0	73,5	525,0	531,5	568,0	59,0	43,0	380,0	110,5	368,0	50,0	760,0
M	510,0	410,0	73,0	73,5	550,0	561,0	598,0	59,0	43,0	380,0	126,0	368,0	50,0	774,0
L	525,0	435,0	73,0	73,5	570,0	590,5	627,0	59,0	43,0	380,0	142,0	368,0	50,0	790,0
XL	540,0	460,0	73,0	73,5	590,0	620,0	657,0	59,0	43,0	380,0	157,5	368,0	50,0	805,0

AL 464 P GEOMETRY WHEELS DIAMETER IN MM : 676

	Stack	Reach	I	J	A	B	C	D	F	G	K	L	HAV	Standover
	(mm)	(mm)	(°)	(°)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)
XS	504,1	370,4	73,0	73,5	505,0	519,6	556,6	58,4	43,0	402,0	121,0	368,0	49,0	747,7
S	519,1	386,2	73,5	73,5	525,0	539,9	572,4	55,3	43,0	402,0	135,0	368,0	49,0	766,9
M	547,8	402,7	73,5	73,5	555,0	564,9	597,3	55,3	43,0	402,0	165,0	368,0	49,0	795,8
L	567,0	417,0	73,5	73,5	575,0	584,9	617,3	55,3	43,0	402,0	185,0	368,0	49,0	815,0

* +11,5 for headset

TRACK
I GEOMETRY

WAR RAN TY

LOOK WARRANTY
GARANTIE LOOK

**SIGN UP ONLINE FOR LOOK LIFETIME WARRANTY ON BIKES
& LOOK 1 YEAR WARRANTY EXTENTION ON PEDALS**

**INSCRIVEZ-VOUS EN LIGNE POUR LA GARANTIE À VIE LOOK SUR LES VÉLOS
ET L'EXTENSION DE GARANTIE D'UN AN SUR LES PÉDALES**

IMPORTANT INFORMATION

WARNING :

– LOOK products are designed and optimized to be used by cyclists who weight no more than 100 kg (220.5 lbs)
– Before you begin your ride, familiarize yourself with the operation of your new pedals.
– Practice engaging and disengaging, or « clipping » your feet in and out of the pedals, while stationary, and mentally train yourself to clip your feet out at each stop, or in other situations during which you may need to stabilize yourself with one foot on the ground.
For your safety and that of those around you, after an impact or a crash, we strongly advise you to change the handlebar and stem. These two parts are important components that must not be neglected.

LIFESPAN – WEAR – INSPECTION REQUIRED

The life of LOOK components depends on many factors, such as how they are used and the physique of the cyclist. Impacts, falls, or any general improper, rough or inappropriate use may compromise the structural integrity of the components and significantly reduce their life expectancy. Some components are also subject to wear over time. Have your bicycle inspected regularly by an authorized LOOK retailer to verify the absence of cracks, to LOOK for any deformation and/or signs of fatigue or wear. If an inspection reveals deformities, cracks, signs of impact or stress marks, no matter how small, immediately replace the component in question. Components that have experienced excessive wear must also be replaced immediately. How often an inspection is performed depends on many factors, check with your authorized LOOK dealer.
The components to be replaced must be done so by an authorized LOOK retailer.
The list of replaceable components is available at any authorized LOOK retailer.

PLEASE READ CAREFULLY BEFORE USING!

Cycling is a dangerous activity by nature, and mountain biking (MTB) in particular. To reduce the risk of injury, be sure to maintain your bicycle properly, and to install and adjust all components correctly. While practicing the sport of cycling, always wear a helmet, and know and respect the rules of the road. Beware of the dangers of the road and traffic. Learn about the laws currently in force in the country where you are located. If you ride at night, it is not enough to see, but vital to be seen by motorists. Standard reflectors are not sufficient and cannot replace front and rear lights. Wearing reflective clothing is strongly recommended and potentially mandatory in some countries.

MAINTENANCE

REGULAR INSPECTION AND PROPER MAINTENANCE ARE IMPORTANT FOR YOUR SAFETY AND THE LIFESPAN OF YOUR BICYCLE.

A BICYCLE AND ITS COMPONENTS THAT ARE POORLY MAINTAINED CAN BREAK OR MALFUNCTION, WHICH COULD LEAD TO AN ACCIDENT IN WHICH YOU COULD BE KILLED, SERIOUSLY INJURED OR PARALYZED.

IMPORTANT.

As soon as the bicycle has been ridden 500 km (310 miles), you must bring it to your authorized LOOK dealer for inspection. This visit allows for the verification of all minor adjustments that will improve the security, performance, and lifespan of your new bicycle.
Thereafter, it is imperative that your bicycle be maintained at least once a year by your local authorized LOOK retailer.
These visits are mandatory. Failure to comply with these guidelines, or any repairs made in an incorrect or non-professional manner, renders the warranty null and void.

In addition to these visits, you should regularly check:

- The tightness of the stem clamping mechanism where it joins the fork and the handlebar
- The tightness of the water bottle cage screws

- The tightness of the chainring bolts
- The tightness of the brake bolts
- The tightness of the rear derailleur hanger screws
- The tightness of the derailleur bolts or clamp
- The tightness of the seat clamp screws where it joins the seat post
- The tightness of the seat binder bolt on the frame
- The tightness of the smaller brake parts (brake pads to brake shoes retaining screws)
- The tightness of the pedals onto the crankarms
- The condition of the cable/hydraulic housing for the brakes and derailleurs
- The absence of play in the headset and bottom bracket
- The entire transmission (chainrings, cassette, chain)
- The condition of the wheels (untrue, rim braking surface, quick release skewers/thru-axles)
- The condition/wear of all break parts (brake pads/disc brake pads, discs)
- The condition and wear of the clincher/tubular (sew-ups) tires
- For proper clincher/tubular tire inflation according to the manufacturer's recommended pressure

Always clean your bike and its accessories with soap, or a mild detergent, and water with the help of a soft cloth. Rinse with water and dry it with a non-abrasive cloth or towel.

Do not use a high pressure cleaning device, or abrasive products.

The bicycle should be stored in a dry location (a humid environment is corrosive).

The bicycle should not be stored near a heat source.

PRODUCT SUPPORT

Despite all the care taken in our manufacturing process, if a defect appears or if a repair is required, contact your local authorized LOOK dealer, who is the only one qualified to contact us, and bring them the defective product accompanied by the sales receipt, and explain what is wrong.

LEGAL WARRANTY

LOOK, through its network of authorized dealers and distributors in the country in which the product was purchased, guarantees its products against nonconformities and hidden defects(1) for a period of two years(2) from the date of purchase.

(1) Hidden defects are only covered under French law. § 1641 to 1649 of the civil code.

(2) Some countries or states allow a longer time limit for an implicit warranty, and/or for the exclusion or limitation of direct or consecutive damages which implies that the limit described above would not apply. This limited warranty gives you specific legal rights, but possibly other rights too, which vary according to local legislation.

COVERAGE :

The warranty applies only if the product was assembled by an authorized LOOK retailer and according to the instructions provided, and if the bicycle has been maintained according to our recommendations and used properly.

This limited warranty does not apply to normal wear and tear*and to parts that have been restored or subject to repairs or improper modification or any damage caused by an accident, abusive or inappropriate use, or a lack of due diligence. Uses deemed inappropriate that would void the warranty, include spinning (stationary bicycle), jumping, stunt riding, extreme cycling, and any similar activities. The intensive use of a bicycle on a home-trainer can damage the rear triangle because it is firmly fixed to the trainer via the rear quick release.

The only appeal within the limits of the LOOK limited warranty, or any implied warranty, is limited to the repair or exchange, at the sole discretion of LOOK, of all or part of the product concerned. Under no circumstances, can LOOK and its representatives or distributors be held responsible for any direct or consecutive damage, nor for any product shipping or transport costs, whether the claim is based on the contract, the warranty, a negligence or a product liability claim, including, without limitation, loss or damage to property other than the guaranteed product itself, the loss of use of the property, or any other financial loss.

Regardless of the cause, neither LOOK, nor any representative or distributor,

can be considered liable for any financial contribution or compensation for a product. The rights allocated by the warranty and associated benefits cannot be transferred or transmitted.
LOOK's obligations under any warranty are limited, according to the wider acceptance of the law, to those specified in this LOOK limited warranty.

This guarantee does not apply to « Special Race Service » products and/or purchased by professional or amateur teams, professional athletes, clubs, and/or via any rental program, and this exception will be enforced even if the product is new.
The warranty is void if the product:
– Underwent a technical and/or structural modification, or if it has been repaired or repainted at a non-LOOK authorized repair center.
– Has been repaired and/or used with non-authorized spare parts.
– The product serial number has been removed, erased, altered or rendered illegible.

Any components, other than LOOK branded components that are mounted on our bicycles, are subject to the same legal requirements of the warranty. Any warranty claims of one of the components must be made through the concerned manufacturer or distributor. Under no circumstances, LOOK and its representatives or distributors cannot be held responsible for damages, direct or indirect, of a product not designed, manufactured and marketed by LOOK.

* The following parts are considered to sustain wear and tear from normal use:
Bearings (bottom bracket, headset, hubs), housing, cables, tires, tubulars, tubes, rim strips, brake or disc brake pads, chain, chainrings, cassette, saddle.

LIFETIME FRAME WARRANTY

The quality and reliability of our frames, that we control from conception to commercialization, allow us, through our authorized representatives and dealers, to propose an extended legal warranty to you, a free lifetime warranty on LOOK frames and forks purchased as of June 1st, 2017, and valid on all 2016 and subsequent models.

CONDITIONS :
To validate the lifetime warranty, the bicycle must be registered within a strict deadline of 30 days from the date of purchase. The registration form must be filled in and submitted correctly. If you register your bicycle within ten days of the date of purchase, you will receive, in addition to the lifetime warranty:
– Our Crash Replacement Program
– A frame and fork safety inspection

COVERAGE :
This lifetime warranty is only valid for the initial purchaser and is non-transferable.
Beware, the lifetime warranty does not apply to the paint and finish, nor any components other than the frame and fork.
In the context of the lifetime frame warranty, LOOK is limited to the repair or replacement, and at the sole discretion of LOOK, of all or part of the product concerned.

EXTENDED PEDAL WARRANTY

The quality and reliability of our pedals, that we control from conception to commercialization, allow us, through our authorized representatives and dealers, to propose an extended warranty to you, a one-year extended warranty, on LOOK pedals purchased as of June 1st, 2017, and valid on all 2016 and subsequent models.

CONDITIONS :
To validate the lifetime warranty, the pedals must be registered within a strict deadline of 30 days from the date of purchase. The registration form must be filled in and submitted correctly.

COVERAGE :

This one-year extended warranty is only valid for the initial purchaser and is non-transferable.
In the context of the one-year extended warranty, LOOK is limited to the repair or replacement, at the sole discretion of LOOK, of all or part of the product concerned.

ON-LINE PRODUCT REGISTRATION

REGISTERING YOUR NEW LOOK BICYCLE OR PEDALS
Registering your LOOK bicycle and/or pedals will allow you to be one of our preferred customers, thus allowing us to offer you the best service possible. To validate the lifetime warranty of your bicycle, according to the terms of the contract, the registration period must not exceed 30 days from the date of purchase.
If you register your bicycle within ten days of the date of purchase, you will receive, in addition to the lifetime warranty:
– Our Crash Replacement Program.
– A Frame and fork safety inspection.

To validate the one-year extended warranty of your pedals according to the terms of the contract, the registration period must not exceed 30 days from the date of purchase.

To simplify the registration process, please use your smartphone:
1 – Take a picture of your sales receipt.
2 – Scan the QR Code
3 – Follow the directions
Where can I find the QR Code?
– Bicycles: under the down tube.
– Pedals: on the box.

If you are unable to register according to the procedure above, please click on the following link.

CRASH REPLACEMENT

If the bicycle has been subjected to an impact, fall or accident not linked to normal use, it is difficult to see one's broken or damaged frame and to have to invest in a completely new one. For these reasons, LOOK offers you a crash replacement program for your frame and fork on all LOOK bicycles purchased as of June 1st, 2017 and valid on all 2016 and subsequent models. This program allows you to purchase a new frame and fork, at a reduced price, among the models proposed of the current year of the request.

CONDITIONS :
To take advantage of the crash replacement program, your bicycle must be registered within 10 days from the date of purchase. Bring your bicycle, along with the original sales receipt, to your authorized LOOK dealer. They will handle the request with our service and warranty department, who are the only ones authorized to validate the conditions of the crash replacement program after having examined all the elements provided. Eligibility for the crash replacement program cannot exceed three years from the date of purchase, and the amount of the price reduction to be applied will be digressive according to the date of purchase. The crash replacement program is reserved for the initial purchaser and is non-transferable.

COVERAGE :
Only the frame and fork are eligible for the crash replacement program. Components, wheels and accessories are not covered by the crash replacement program and thus are not eligible for consideration under the program. The retailer's labor costs associated with the disassembly or rebuilding the bicycle, as well as any related shipping costs are the responsibility of the user. A frame and fork obtained as part of the crash replacement program cannot be the subject of a second request under the same program, but do benefit from all legal guarantees and the lifetime warranty. Frames and forks obtained via the crash replacement program will be automatically registered by LOOK.
OFFER :
Once approved for the crash replacement program by our service and

warranty department, you will be able to choose a frame and fork model from the current year's product catalog. The price reductions indicated below will apply to the current manufacturer's suggested retail price (MSRP) in your country at the time the application to the crash replacement program was processed.
50% within 12 months from the date of purchase
30% within 13 to 24 months from the date of purchase
10% within 25 to 36 months from the date of purchase

SAFETY INSPECTION

In the event of a collision, fall or road accident that is not related to normal use, your frame and fork may appear to be intact and functional. Unlike « metal » materials (steel, aluminum, titanium) whose damage is more visible after an impact, composite material may be damaged without it being noticeable. For these reasons, LOOK offers you a free safety inspection for frames and forks purchased as of June 1st, 2017 and valid on all 2016 and later models.

REQUIREMENTS :
To receive a free safety inspection of your frame and fork, your bicycle must have been registered within 10 days from the date of purchase. Bring your bicycle, along with the original sales receipt, to your authorized LOOK dealer. They will handle the request with our service and warranty department, who are the only ones qualified to authorize the return of the frame and fork after having examined all the elements provided. The request for a free safety inspection may only be made once. This free safety inspection is reserved for the original owner and is non-transferable.

COVERAGE :
Only the frame and the fork are eligible for this inspection. Only the inspection provided by our service and warranty department is free. The retailer's labor costs associated with the disassembly or rebuilding of the bicycle, as well as any association shipping costs are the responsibility of the user.

RECOMMENDATION :
For your safety, and that of those around you, after a crash or impact, we strongly advise you to change the handlebar and stem. These two parts are important components that must not be neglected.

SPARE PARTS

FRAMES / BIKES
Spare parts are accessible from our authorized LOOK dealers during the period of product commercialization and available for five additional years from the end of LOOK's commercialization period.

PEDALS
Spare parts are accessible from our authorized LOOK dealers during the product's marketing period and available for two additional years from the end of LOOK's commercialization period.

COUNTERFEIT GOODS

WARNING ABOUT COUNTERFEIT GOODS

THE USE OF COUNTERFEIT PRODUCTS IS VERY DANGEROUS AND CAN PROVOKE SERIOUS FALLS CAUSING SIGNIFICANT INJURY OR EVEN DEATH TO YOU AND THOSE AROUND YOU.
LOOK products are protected by industrial property rights. <http://www.LOOKcycle.com/patents/> Hence, in the case of purchase, use, or sale of a counterfeit product, we reserve the possibility of taking all measures that we deem appropriate in order to stop the violation of our rights and to receive compensation for the damage suffered as defined in the Clauses L613-3 to L613-6, L615-14 and L716-9.
It goes without saying that counterfeit products do not benefit from any LOOK warranty and imply the cancellation of all LOOK warranties on any valid LOOK product used in conjunction with counterfeit products. This also

includes the annulment of all accidental, physical, moral, civil and physical liabilities on the part of the company LOOK CYCLE INTERNATIONAL.
The vast majority of LOOK products are manufactured in our factories outside of Asia. The sale of products on exotic websites, meaning non-native or unusual in character, is therefore, likely to be illegal and the products counterfeit.

For you to avoid any fraud, and without this advice being limited, we recommend that you to be very vigilant:
– On websites offering products advertised as LOOK products at prices well below market value.
– Regarding sales by private individuals who have no proof of purchase, nor any record of maintenance and information about the origin of the product.

For any questions, you may contact us via our website, or that of any of our authorized retail dealers and distributors in the country where you are located (a list of our authorized LOOK retail dealers and distributors is available on WWW.LOOKCYCLE.COM), and be sure to provide us with the serial number and/or photos for verification.

This manual may not be used or reproduced, even partially, in any form whatsoever and by any means whatsoever, without the prior written consent of LOOK.

This material complies with the guidelines in the provisions 93/42/EC.



INFORMATIONS IMPORTANTES

ATTENTION :

– Les produits LOOK sont conçus et optimisés pour être utilisés par des cyclistes ne dépassant pas 100 KG (220,5 lbs)
– Avant de prendre la route, familiarisez-vous avec le fonctionnement de vos nouvelles pédales.
– Exercez-vous à engager vos pieds dans les pédales et à les désengager à l’arrêt, et entraînez-vous mentalement à désengager vos pieds des pédales à chaque arrêt ou dans les autres situations durant lesquelles vous pouvez avoir besoin de vous stabiliser avec un pied sur le sol.
Après un choc ou impact, nous vous conseillons fortement pour votre sécurité et celle de tierces personnes de changer le cintre et la potence. Ces deux éléments sont des composants importants qui ne doivent pas être négligés.

DUREE DE VIE – USURE – INSPECTION REQUISE

La durée de vie des composants LOOK dépend de nombreux facteurs, tels que la morphologie du cycliste et les conditions d'utilisation. Les impacts, les chutes, une utilisation inappropriée ou une utilisation brusque peuvent, par exemple, compromettre l'intégrité structurelle des composants et réduire considérablement leur durée de vie. Certains composants sont également sujets à l'usure au fil du temps. Faites inspecter régulièrement votre vélo par un détaillant agréé LOOK afin de vérifier l'absence de fissure, de déformation, de signe de fatigue ou d'usure. Si l'inspection révèle des déformations, des fissures, des traces d'impact ou des marques de contrainte, même légères, remplacez immédiatement le composant concerné. Les composants ayant subi une usure excessive doivent également être immédiatement remplacés. La fréquence d'inspection dépend de nombreux facteurs. Consultez votre revendeur agréé LOOK.

Les composants à remplacer doivent l’être par un revendeur agréé LOOK.
La liste des composants remplaçables est disponible chez les revendeurs agréés LOOK.

A LIRE PRÉALABLEMENT !

Le cyclisme est une activité dangereuse par nature et en particulier le VTT. Pour réduire le risque de blessures graves, veillez à entretenir votre vélo de façon adéquate, à installer et ajuster correctement tous les composants. Lors de la pratique du cyclisme, portez toujours un casque et prenez connaissance du code de la route en veillant à le respecter. Prenez garde aux dangers de la route et de la circulation. Prenez connaissance des lois en vigueur dans le pays où vous êtes. Si vous roulez la nuit, il ne suffit pas de voir mais d’être vu. Les réflecteurs ne sont pas suffisants et ne remplacent pas un éclairage avant et un feu arrière. Le port d'un vêtement réfléchissant est fortement conseillé voir obligatoire dans certains pays.

ENTRETIEN

LE CONTRÔLE ET LA MAINTENANCE SONT IMPORTANTS POUR VOTRE SÉCURITÉ ET LA DURÉE DE VIE DE VOTRE VÉLO.

UN VELO ET SES COMPOSANTS MAL ENTRETENUS PEUVENT SE CASSER OU PRESENTER DES DYSFONCTIONNEMENTS, CE QUI POURRAIT ENTRAÎNER UN ACCIDENT LORS DUQUEL VOUS POURRIEZ ÊTRE TUÉ, GRAVEMENT BLESSÉ OU PARALYSÉ.

IMPORTANT.

Dès les 500 premiers kms d'utilisation, vous devez apporter votre vélo à votre revendeur agréé LOOK pour une vérification. Cette visite permet de vérifier tous les petits réglages qui amélioreront la sécurité, les performances et la durée de vie de votre nouveau vélo.
Vous devrez par la suite effectuer au moins un entretien annuel par votre revendeur agréé LOOK.
Ces visites sont obligatoires. En cas de non-respect ou de réparations effectuées de manière non professionnelle ou incorrecte, la garantie devient caduque.

En parallèle de ces visites, vous devez vérifier régulièrement :
– Le serrage de la potence sur la fourche et sur le cintre.
– Le serrage des portes bidon.
– Le serrage des plateaux.
– Le serrage des freins.
– Le serrage de la patte de dérailleur arrière.
– Le serrage des dérailleurs.
– Le serrage de la selle sur la tige de selle.
– Le serrage de la tige de selle sur le cadre.
– Le serrage des éléments des freins (patins et porte patin).
– Le serrage des pédales sur les manivelles.
– L'état des gaines et des câbles/durites des systèmes de freins et des dérailleurs.
– L'absence de jeu dans la direction et le boîtier de pédalier.
– Contrôler le système de transmission (plateaux, cassette, chaîne).
– L'état des roues (voile, bande de freinage, attache rapide).
– L'état/usure des éléments de freinage (patins/plaquettes, disques).
– L'état et usure des pneus/boyaux.
– Le gonflage des pneus/boyaux en respectant la pression recommandée.

Nettoyer toujours votre cadre et ses accessoires avec du savon ou détergent léger et de l'eau.
Employer un chiffon doux. Rincez à l'eau et le sécher avec un chiffon.
Ne pas utiliser d'appareil de nettoyage à haute pression, ni de produits abrasifs.
Le vélo doit être entreposé dans un endroit sec (un endroit humide est corrosif)
Le vélo ne doit pas être entreposé à côté d'une source de chaleur

SERVICE APRÈS-VENTE

Malgré tout le soin apporté à nos fabrications, si un défaut apparaît ou si une réparation est nécessaire, adressez-vous à votre revendeur agréé LOOK, qui est le seul habilité à nous contacter, en lui apportant le produit défectueux accompagné de votre facture d'achat et précisez-lui le dysfonctionnement.

GARANTIE LEGALE

LOOK, à travers ces agents et distributeurs agréés dans le pays dans lequel le produit a été acheté, garantit ses produits contre les non-conformités et contre les vices cachés (1) pour une période de deux ans (2) à compter de la date d'achat.
(1) Les vices cachés ne concernent que la législation Française. § 1641 à 1649 du code civil.
(2) Certains pays ou états autorisent une limitation de durée supérieure pour une garantie implicite, et/ou pour l'exclusion ou la limitation de dommages directs ou consécutifs, ce qui implique que la limite décrite ci-dessus ne s'appliquerait pas. Cette garantie limitée vous donne des droits légaux spécifiques, mais aussi éventuellement d'autres droits, qui varient selon les législations locales.

COUVERTURE :

La garantie s'applique uniquement si le produit est assemblé conformément aux instructions fournies avec le produit et par un revendeur agréé LOOK. Si le vélo a été entretenu conformément à nos préconisations et utilisé correctement.

Cette garantie limitée ne s'applique pas à l'usure normale*, aux pièces qui ont été remises en état ou soumises à des réparations ou des modifications inappropriées, ni aux dommages causés par un accident, une utilisation abusive ou inappropriée, ou un manque de diligence raisonnable. Parmi les utilisations inappropriées rendant la garantie caduque, citons le spinning (vélo de salle), le saut, les acrobaties, le cyclisme extrême et les activités similaires. L'utilisation intensive d'un vélo sur home-trainer peut endommager le triangle arrière du fait de son blocage fixe.
Le seul recours dans le cadre de la garantie limitée LOOK ou toute garantie implicite se limite à la réparation ou à l'échange, à la seule discrétion de LOOK, de tout ou partie du produit concerné. En aucun cas, LOOK et ses agents ou distributeurs ne peuvent être tenus pour

responsables ni des dommages, directs ou consécutifs, ni de la prise en charge des frais de transport ou d'expédition du produit, que la réclamation soit basée sur le contrat, la garantie, une négligence ou la responsabilité du fait des produits, y compris, sans limitation, les pertes ou les dommages liés à une propriété autre que le produit garanti lui-même, la perte de l'usage d'un bien ou toute autre perte financière.
Quelle qu'en soit la cause, ni LOOK, ni aucun agent ou distributeur, ne peut être passible d'une quelconque contribution financière ou indemnisation pour un produit. Les droits alloués par la garantie et les bénéfices ne peuvent être cédés ni transmis.
Les obligations de LOOK sous une garantie quelconque sont limitées, selon la plus large acceptation de la loi, à celles spécifiées dans cette garantie limitée LOOK.

Cette garantie ne s'applique pas aux produits “Spécial Service Course” et/ou achetés à des équipes Professionnelles, Amateurs, Athlètes, Clubs, Locataires, aux enchères et cela même si le produit est neuf.
De même la garantie est caduque si le produit :
– A subi une modification technique et/ou structurelle, s'il a été réparé, repeint hors d'un centre de réparation agréé LOOK.
– A été réparé et/ou utilisé avec des pièces de rechange non autorisées.
– Le numéro de série du produit a été enlevé, effacé, altéré ou rendu illisible.

Les composants autres que LOOK montés sur nos vélos sont soumis aux mêmes conditions légales de garantie. Le faire valoir de la garantie d'un des composants doit être fait auprès des fabricants ou distributeurs concernés. En aucun cas, LOOK et ses agents ou distributeurs ne peuvent être tenus pour responsables des dommages, directs ou indirects, d'un produit non conçu, fabriqué et commercialisé par LOOK.

* Les pièces considérées comme usure normale d'utilisation :
Roulements (pédalier, jeu de direction, moyeux), gaines, câbles, pneus, boyaux, chambre à air, fond de jante, patins/plaquettes, chaîne, plateaux, cassette, selle.

GARANTIE A VIE CADRES

La qualité et la fiabilité de nos cadres que nous maîtrisons de la conception à la commercialisation nous permettent, à travers nos agents et distributeurs agréés, de vous proposer en extension des garanties légales, une garantie à vie gratuite sur les cadres et fourches des vélos LOOK achetés à partir du 1 juin 2017 valable pour les gammes 2016 et ultérieures.

CONDITIONS :

Pour valider la garantie à vie, le délai d'enregistrement du vélo ne doit pas dépasser les 30 jours depuis la date d'achat. Le formulaire d'enregistrement doit être correctement renseigné. Si vous enregistrez votre vélo dans les dix jours suivant la date d'achat, vous obtiendrez en supplément de la garantie à vie :
– Notre programme de remplacement ‘Contrat Confiance’
– Le contrôle de sécurité du cadre et fourche.

COUVERTURE :

Cette garantie à vie est uniquement valable pour le premier acheteur et n'est pas transmissible.
Attention, la garantie à vie ne s'applique pas sur la peinture et finition, les composants autres que le cadre et la fourche.
Dans le cadre de la garantie à vie, LOOK se limite à la réparation ou à l'échange, à la seule discrétion de LOOK, de tout ou partie du produit concerné.

EXTENSION GARANTIE PEDALES

La qualité et la fiabilité de nos pédales que nous maîtrisons de la conception à la commercialisation nous permettent, à travers nos agents et distributeurs agréés, de vous proposer en extension des garanties légales, une extension de garantie d'un an sur les pédales achetées à partir du 1 juin 2017 valable pour les gammes 2016 et ultérieures.

CONDITIONS :

Pour valider l'extension de la garantie d'un an, le délai d'enregistrement des pédales ne doit pas dépasser les 30 jours depuis la date d'achat. Le formulaire d'enregistrement doit être correctement renseigné.

COUVERTURE :

Cette extension de la garantie d'un an est uniquement valable pour le premier acheteur et n'est pas transmissible.
Dans le cadre de l'extension de la garantie d'un an, LOOK se limite à la réparation ou à l'échange, à la seule discrétion de LOOK, de tout ou partie du produit concerné.

ENREGISTREMENT EN LIGNE

ENREGISTREMENT DE VOTRE NOUVEAU VÉLO OU PÉDALES LOOK
L'enregistrement de votre vélo et/ou de vos pédales LOOK vous permettra de faire partie de nos clients privilégiés et ainsi de vous offrir les meilleurs services.
Pour valider la garantie à vie de votre vélo suivant les termes du contrat, le délai d'enregistrement ne doit pas dépasser les 30 jours depuis la date d'achat.
Si vous enregistrez votre vélo dans les dix jours suivants la date d'achat, vous obtiendrez en complément :
– Notre programme de remplacement ‘contrat confiance’
– Le contrôle de rigidité du cadre et fourche.

Pour valider l'extension d'un an de garantie de vos pédales suivant les termes du contrat, le délai d'enregistrement ne doit pas dépasser les 30 jours depuis la date d'achat.

Pour la simplicité de votre enregistrement, veuillez, à l'aide de votre smartphone :
1 – Prendre en photo votre facture d'achat.
2 – Flasher le QR Code
3 – Suivre les instructions
Où trouver le QR Code
– Vélos : sous le Tube diagonal.
– Pédales : sur la boîte.

Si vous n'avez pas la possibilité de procéder à l'enregistrement comme indiqué ci-dessus, veuillez cliquer sur le lien suivant.

CONTRAT CONFIANCE

Lors de choc, chute ou accident de la route non liés à une utilisation normale, il est difficile de voir son cadre cassé et de devoir investir totalement dans un nouveau cadre. Pour ces raisons, LOOK vous propose un programme de contrat confiance de votre cadre et fourche sur les vélos LOOK achetés à partir du 1 juin 2017 valable pour les gammes 2016 et ultérieures. Ce programme vous permet l'achat avec remise d'un nouveau cadre et fourche dans la gamme de l'année de la demande.

CONDITIONS :

Pour bénéficier du programme contrat confiance, votre vélo devra être enregistré dans les 10 jours de la date d'achat. Déposez votre vélo accompagné de la facture d'achat à votre revendeur qui se chargera de traiter la demande auprès de notre Service après-vente qui est le seul habilité à valider le contrat confiance en fonction de l'analyse des éléments fournis. La demande du programme de contrat confiance ne pourra pas dépasser les 3 ans de la date d'achat et l'offre de remise sera dégressive en fonction de la date d'achat. Ce programme contrat confiance est réservé pour le premier utilisateur et n'est pas transmissible.

COUVERTURE :

Seuls le cadre et la fourche rentrent dans le programme contrat confiance. Les périphériques ne sont pas couverts par le programme contrat confiance et ne peuvent faire l'objet d'une demande de contrat confiance. Les frais de main d'œuvres du détaillant, remise en état du vélo et transports sont à la charge de l'utilisateur. Un cadre et fourche

obtenus dans le programme contrat confiance ne pourront pas faire l'objet d'une seconde demande mais bénéficient des garanties légales et garantie à vie. Les cadre et fourche obtenus dans le programme contrat confiance seront automatiquement enregistrés par nos services.

OFFRE :

Après avoir obtenu l'accord de notre Service Après-Vente pour le programme contrat confiance, vous aurez la possibilité de choisir le modèle de cadre et fourche dans le catalogue de l'année en cours de la demande. Les remises des offres indiquées ci-dessous s'appliqueront sur les prix public conseillés catalogue en vigueur dans votre pays au moment de la demande du programme contrat confiance.

50% dans les 12 mois de la date d'achat.

30% dans les 13 et 24 mois de la date d'achat.

10% dans les 25 et 36 mois de la date d'achat.

CONTROLE DE SECURITE

Lors de choc, chute ou accident de la route non liés à une utilisation normale, votre cadre et fourche peuvent vous sembler intacts et utilisables. A la différence des matériaux dit "métal" (acier, aluminium, titane) dont les déformations sont plus visibles sur un impact, le matériau composite peut être endommagé sans que cela soit visible. Pour ces raisons, LOOK vous propose un contrôle gratuit de votre cadre et fourche achetés à partir du 1er Juin 2017 valable pour les gammes 2016 et ultérieures.

CONDITION :

Pour bénéficier du contrôle gratuit de votre cadre et fourche, votre vélo devra être enregistré dans les 10 jours suivant la date d'achat. Déposez votre vélo accompagné de la facture d'achat à votre revendeur qui se chargera de traiter la demande auprès de notre Service Après-Vente qui est le seul habilité à valider le retour du cadre et fourche en fonction de l'analyse des éléments fournis. La demande d'un contrôle gratuit n'est valable qu'une seule fois. Ce contrôle gratuit est réservé pour le premier utilisateur et n'est pas transmissible.

COUVERTURE :

Seuls le cadre et la fourche sont concernés par ce contrôle. Seul le contrôle dans nos services est gratuit. Les frais de démontage/remontage par le revendeur, remise en état du vélo et transports sont à la charge de l'utilisateur.

RECOMMANDATION :

Lors d'un choc ou impact, nous vous conseillons fortement pour votre sécurité et celle de tierces personnes de changer le cintre et la potence. Ces deux éléments sont des composants importants et ne doivent pas être négligés.

PIECE DETACHEES

CADRES / VELOS

Les pièces détachées sont disponibles auprès de nos détaillants agréés LOOK pendant la période de commercialisation du produit avec une disponibilité de 5 ans à la date de fin de commercialisation par LOOK.

PEDALES

Les pièces détachées sont disponibles auprès de nos détaillants agréés LOOK pendant la période de commercialisation du produit avec une disponibilité de 2 ans à la date de fin de commercialisation par LOOK.

CONTREFACON

AVERTISSEMENT SUR LES PRODUITS DE CONTREFACON

L'UTILISATION DE PRODUITS CONTREFAITS EST TRES DANGEREUSE ET PEUT VOUS CAUSER AINSI QUA DES TIERS DES CHUTES GRAVES PROVOQUANT DES BLESSURES IMPORTANTES VOIRE MORTELLES.

Les produits LOOK sont protégés par les droits de la propriété industrielle. <http://www.LOOKcycle.com/patents/> De ce fait, dans le cas d'achat,

d'utilisation, ou de vente d'un produit contrefait, nous nous réservons la possibilité d'engager toutes mesures que nous jugerons appropriées afin de faire cesser l'atteinte à nos droits et obtenir réparation du préjudice subi comme défini sur les Articles L613-3 à L613-6, L615-14 et L716-9. Il va de soi que les produits contrefaits ne bénéficient d'aucunes garanties LOOK et implique l'annulation de toutes les garanties LOOK sur un produit conforme LOOK utilisé avec des produits contrefaits. Cela implique aussi l'annulation de toutes responsabilités accidentelles, matérielles, morales, civiles et physiques de la part de la Société LOOK CYCLE INTERNATIONAL. La grande majorité des produits LOOK sont fabriqués dans nos usines en dehors de l'Asie. La vente de produits sur les sites exotiques a donc toutes les chances de concerner des produits contrefaits.

Pour vous éviter toutes escroqueries, et sans que ces conseils soient exhaustifs, nous vous conseillons donc d'être très vigilant :
– Sur les sites proposant des produits marqués LOOK à des prix très nettement en dessous du marché.
– Sur les ventes de particulier à particulier ne proposant pas de facture d'achat, de suivi d'entretien et de renseignement sur l'origine du produit.

Pour toute aide, vous pouvez nous contacter via notre site ou celui du Distributeur de votre pays où vous vous trouvez (liste de nos revendeurs et Distributeur sur WWW.LOOKCYCLE.COM) en nous fournissant n° de série et/ou photos pour vérification.

Ce manuel ne peut être utilisé ni reproduit, même partiellement, sous quelque forme que ce soit et par quelque moyen que ce soit, sans l'autorisation écrite préalable de LOOK.

Ce matériel est conforme aux dispositions de la directive 93/42/CE.



CONTACT

LOOK Cycle

27 rue du Dr Léveillé - 58028 Nevers (FR)
lookcycle.com



#RIDEYOURDREAM

lookcycle.com